

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : N Tense  
Product code : 00168

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Adjuvants Plus Inc.  
Unit 8 - 106 Wigle Ave..  
Kingsville, ON N9Y 2J8 - Canada  
T 1-519-733-4659 - F 1-866-390-2165  
[info@adjuvantsplus.com](mailto:info@adjuvantsplus.com) - [www.adjuvantsplus.com](http://www.adjuvantsplus.com)

### 1.4. Emergency telephone number

No additional information available

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GHS-US classification

Skin Corr. 1A	H314
Eye Irrit. 2A	H319
Carc. 1A	H350
Aquatic Acute 3	H402

Full text of H-statements: see section 16

### 2.2. Label elements

#### GHS-US labelling

# N Tense

## Safety Data Sheet



Hazard pictograms (GHS-US)	:	
Signal word (GHS-US)	:	Danger
Hazard statements (GHS-US)	:	H314 - Causes severe skin burns and eye damage H319 - Causes serious eye irritation H350 - May cause cancer
Precautionary statements (GHS-US)	:	H402 - Harmful to aquatic life  P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P260 - Do not breathe dust/fume/gas/mist/vapours/spray P264 - Wash hands, forearms and face thoroughly after handling P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - If exposed or concerned: Get medical advice/attention P310 - Immediately call a doctor or poison control center if ingested or eye contact has occurred P321 - Specific treatment (see additional precautions on this label) P337+P313 - If eye irritation persists: Get medical advice/attention P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container to ...

04/19/2016

EN (English)

Page 1

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Composition/Information on ingredients

Full text of H-statements: see section 16

Name	Product identifier	%	GHS- classifications
Monocarbamide Dihydrogen Sulfate (Urea sulphate)	21351-39-3	50 - 80	Eye damage Cat. 1; H318

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	:	Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

11/28/2019

EN (English)

2/9

# N Tense

## Safety Data Sheet

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

#### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	--

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin, eyes and clothing.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in original container in a cool well ventilated area. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 (5 - 42) °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**N Tense**

# N Tense

## Safety Data Sheet

ACGIH	Not applicable
OSHA	Not applicable

### Monocarbamide Dihydrogen Sulfate (Urea sulphate) (Not Established)

ACGIH	Not applicable
OSHA	Not applicable

DNEL DNEL >=

#### 8.2. Exposure controls

- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : Wear appropriate mask.
- Other information : Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Colour : amber
- Odour : Characteristic odour
- Odour threshold : No data available
- pH : <= 2
- Melting point : No data available
- Freezing point : <= 0 °C
- Boiling point : >= 100 °C
- Flash point : None
- Relative evaporation rate (butylacetate=1) : No data available
- Flammability (solid, gas) : No data available
- Explosive limits : No data available
- Explosive properties : No data available
- Oxidising properties : No data available

# N Tense

## Safety Data Sheet

Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Density	: $\geq 1.251$ g/ml
Solubility	: Soluble in water. Water: Solubility in water of component(s) of the mixture : <ul style="list-style-type: none"><li>• sulfuric acid, conc=98%: Complete</li></ul>
Log Pow	: No data available
Log Know	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. Other information

VOC content :  $\leq 10$  g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

N Tense	
LD50 oral rat	$\geq 2000$ mg/kg
LD50 dermal rat	$\geq 2000$ mg/kg
Monocarbamide Dihydrogen Sulfate (Not Established)	
LD50 oral rat	Not Established
LD50 dermal rat	$\geq 2000$ mg/kg

# N Tense

## Safety Data Sheet

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: <= 2
Serious eye damage/irritation	: Causes serious eye irritation. pH: <= 2
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Non cancerous according to IARC (international Agency for Research on Cancer)
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated : Not classified exposure)	
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

**N Tense**

Persistence and degradability	Not
-------------------------------	-----

#### 12.3. Bioaccumulative potential

**N Tense**

Bioaccumulative potential	Not established.
---------------------------	------------------

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Effect on the global warming	: No known ecological damage caused by this product.
------------------------------	--

Other information	: Avoid release to the environment.
-------------------	-------------------------------------

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
--------------------------------	---

Ecology - waste materials	: Avoid release to the environment.
---------------------------	-------------------------------------

### SECTION 14: Transport information

#### Transport Regulations (DOT)

Canadian Transportation of Dangerous Goods (TDG):	Not available
---	---------------

USA DOT:	Not Dangerous Goods if packaged in UN approved containers and shipped in 10 litre or less in UN approved HDPE plastic bottles.
----------	--

In accordance with DOT	Not considered Dangerous Goods in the U.S.
------------------------	--

Transport document description	: UN1760 Corrosive liquids, n.o.s. (Contains Monocarbamide Dihydrogen Sulfate), 8, II
--------------------------------	---

UN-No.(DOT)	: UN1760
-------------	----------

# N Tense

## Safety Data Sheet

Proper Shipping Name (DOT) : Corrosive liquids, n.o.s.  
Contains Monocarbamide Dihydrogen Sulfate  
Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136  
Hazard labels (DOT) : 8 – Corrosive



Packing group (DOT) : II - Medium Danger  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202  
DOT Packaging Bulk (49 CFR : 242 173.xxx)  
DOT Symbols : G - Identifies PSN requiring a technical name  
DOT Special Provisions (49 CFR 172.102) : B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.  
IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.  
T11 - 6 178.274(d)(2) Normal..... 178.275(d)(3)  
TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image)  
Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image)  
Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.  
TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.  
DOT Packaging Exceptions (49 : 154 CFR 173.xxx)  
DOT Quantity Limitations : 1 L  
Passenger aircraft/rail (49 CFR 173.27)  
DOT Quantity Limitations Cargo 30 L aircraft only (49 : CFR 175.75)  
DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.  
DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

### Additional information

# N Tense

## Safety Data Sheet

Other information : Note: DOT CORROSIVE TO ALUMINUM AND STEEL.  
 Not regulated by DOT if transported by motor vehicle in packaging that will not react dangerously or be degraded by this material, 49 CFR 173.154(D). Freight classification: Fertilizing compounds (Manufactured Fertilizer), NOI, Liquid (NMFC 68140, Sub 6, Class 70).

### ADR

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

## SECTION 15: Regulatory information

### 15.1. Canadian Regulations

#### Monocarbamide Dihydrogen Sulfate (Urea Sulphate) (Not Established)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.  
 WHMIS Classification: D2B : Material causing other toxic effects Eye Damage

### 15.2. International regulations

#### EU-Regulations

No additional information available

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

#### National regulations

No additional information available

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

Revision date : 04/19/2016 Other information : None.

Full text of H -

Aquatic Acute 3	Hazardous to the aquatic environment — Acute Hazard, Category 3
Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H350	May cause cancer
H402	Harmful to aquatic life

statements:



# N Tense


## Safety Data Sheet

NFPA health hazard : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

NFPA specific hazard : None



HMIS III Rating

Health action is taken and medical treatment is given : 3 Serious Hazard - Major injury likely unless prompt

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal Protection : C

C - Safety glasses, Gloves, Synthetic apron

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*