

STRIPE[®]

Weather Seal

Tecnofitas[®]

Silicon Weather Seal

Product at A Glance

- ◆ Weather Seal
- ◆ Mosquito Pleated Net
- ◆ Silicon Weather Seal
- ◆ Door Seal
- ◆ Aluminium Georgian Bar
- ◆ PVC Strip
- ◆ Magnetic Strip
- ◆ Speed Reducer

WINDOW ACCESSORIES FOR

uPVC

- ◆ Weather Seal
- ◆ **Georgian Bar**

Aluminium

- ◆ Weather Seal
- ◆ **Georgian Bar**

Mosquito Net

- ◆ Weather Seal
- ◆ Pleated Net
 - ◆ Thread
 - ◆ PVC Strip
- ◆ Speed Reducer
- ◆ **Magnetic Strip**



Rising fuel costs are making the specification of thermally efficient products imperative. We have range of eco friendly products which will keep the weather out and give our customers the high level of in house temperature control that will ensure saving energy, money, and of course reduce their carbon footprint.

With a vision to create a legacy in the weather seal industries we forayed into this in the year 2002. And since 1986 we have been in the forefront of the

aluminium industry.

We are known as a reliable supplier of quality weather seal. used for door and windows with variety of sizes & different colour

Aluminium Georgian Bar - Double Glass

A Sealed unit whereby a Aluminium Georgian window bar fitted within the sealed unit between the two panels of glass to visually divide the glass units into small panes. Because they are tightly sealed inside the glass, it is dust proof, rust proof, preventing from colour ageing. The size comes in 18x8mm. The product has a distinct advantage of being easily cleaned & economical to purchase.




401	Aluminium / White 3 Meter
-----	---------------------------



. This is the white aluminium georgian bar used to make the elegant windows and doors

402	PVC L Key
-----	-----------



. The L key is used to make differnt type of design from this georgian bar

403	PVC Bar Center Key
-----	--------------------



. This Center key is used inside the aluminium georgian barso that the bar can be fixed with each other

404	PVC End Corner
-----	----------------



. The End corner key closes the aluminium georgian bar

405	PVC Plus
-----	----------



. This is used to join the aluminium georgian bar from the middle




Aluminium Georgian Bar - Single Glass

A Sealed unit whereby a Aluminium Georgian window bar fitted within the sealed unit between the two panels of glass to visually divide the glass units into small panes. Because they are tightly sealed inside the glass, it is dust proof, rust proof, preventing from colour ageing. The size comes in 20x6mm. The product has a distinct advantage of being easily cleaned & economical to purchase.



406	Aluminium / White 3 Meter
-----	---------------------------



. This is the white aluminium georgian bar used to make the elegant windows and doors

407	PVC End Corner
-----	----------------



. The End corner key closes the aluminium georgian bar

408	PVC Plus
-----	----------



. This is used to join the aluminium georgian bar from the middle




Pile weather seal for sliding aluminum and UPVC windows and doors. It is used as an insulator to prevent drafts, dust light and other contaminants coming from outside through edges of windows and doors. Pile weather seal are closely woven textile yarns interlaced into backing. **Application:** Sliding windows and doors, Shutter guide seals, Sliding wardrobe doors and Bottom Door Seal.

Eviivo:

has unsiliconised multi filament fiber with woven backing covered with PP

Stripe :

Is a woven backing covered by a rigid layer that provides high density durability and non corrosive property. It has un siliconised multi filament fiber.



6.8 X 5 mm	8 X 250 mtr	Grey / Black
6.8 X 6 mm	8 X 225 mtr	Grey / Black
6.2 X 4 mm	8 X 300 mtr	Grey / Black
6.8 X 5 mm	8 X 250 mtr	Grey / Black
6.8 X 6 mm	8 X 225 mtr	Grey / Black
6.8 X 7 mm	8 X 200 mtr	Grey / Black
6.8 X 12 mm	4 X 200 mtr	Grey
4.8 X 6 mm	8 X 250 mtr	Grey
6 X 6 mm	8 X 250 mtr	Grey
8.9 X 9 mm	8 X 100 mtr	Grey

Stripe PPlus :

It has siliconised filament fiber. Durable and impervious of water ingress this makes an ideal solution. Its water repellent and has resistance and recovery property. It has optimizing performances for energy saving.



4.5 X 5 mm	8 X 275 mtr	Grey
4.8 X 4 mm	8 X 300 mtr	Grey
4.8 X 5 mm	8 X 275 mtr	Grey
4.8 X 6 mm	8 X 250 mtr	Grey
6 X 5 mm	8 X 250 mtr	Grey
6 X 6 mm	8 X 250 mtr	Grey
6 X 7 mm	8 X 225 mtr	Grey
6.8 X 5 mm	8 X 225 mtr	Grey
6.7 X 6 mm	8 X 225 mtr	Grey
6.8 X 7 mm	4 X 350 mtr	Grey
6.8 X 8 mm	4 X 300 mtr	Grey

Stripe PPlus FIN :


It has siliconised UV & PVC Fin fiber. Durable and impervious of water ingress this makes an ideal solution. Its water repellent and has resistance and recovery property.



4.8 X 5 X 5 mm	8 X 250 mtr	Grey
4.8 X 6 X 6 mm	8 X 250 mtr	Grey
6 X 5 X 5 mm	8 X 250 mtr	Grey
6 X 6 X 6 mm	8 X 225mtr	Grey
6.8 X 6 X 6 mm	8 X 200 mtr	Grey

Tecnofitas :


We have range of specifically designed seals to suits a variety of seals gaps and ease for fabrication. It gives high quality and long life services in the most demanding condition. Highly durable and impervious of water ingress this makes an ideal solution. The pile is Siliconised +UV treated multi filament fibre. Its water repellent and has excellent resistance and recovery property.



6.8 X 4 mm	8 X 250 mtr	Grey
6.8 X 5 mm	8 X 225 mtr	Grey
6.8 X 6 mm	8 X 200 mtr	Grey
6.8 X 7 mm	8 X 200 mtr	Grey
6.8 X 8 mm	4 X 300 mtr	Grey
6.8 X 9 mm	4 X 250 mtr	Grey
6.8 X 10 mm	4 X 250 mtr	Grey
6.7 X 15 mm	4 X 150 mtr	Grey
4.8 X 4 mm	8 X 275 mtr	Grey
4.8 X 6 mm	8 X 250 mtr	Grey
4.8 X 8.25 mm	4 X 350 mtr	Grey / Black
4.8 X 10 mm	4 X 300 mtr	Grey / Black
4 X 4 mm	8 X 300 mtr	Grey
6 X 6 mm	8 X 225 mtr	Grey
6 X 10 mm	4 X 250 mtr	Grey

Tecnofitas FIN :




It has siliconised UV & PVC Fin fiber. Durable and impervious of water ingress this makes an ideal solution. Its water repellent and has resistance and recovery property. It has optimizing performances for energy saving.



6.8 X 5 X 5 mm	8 X 225 mtr	Grey / Black
6.8 X 6 X 6 mm	8 X 175 mtr	Grey
6.8 X 7 X 7 mm	4 X 350 mtr	Grey
6.8 X 8 X 8 mm	4 X 300 mtr	Grey
6.8 X 12 X 13 mm	3 X 200 mtr	Grey
4.8 X 6 X 6 mm	8 X 250 mtr	Grey / Black
4.8 X 10 X 10 mm	4 X 300 mtr	Grey
5 X 7 X 6 mm	8 X 150 mtr	Grey
6 X 6 X 6 mm	8 X 250 mtr	Grey
6 X 10 X 10 mm	4 X 250 mtr	Grey
12.6 X 7 X 7.5 mm	4 X 150 mtr	Grey

Tecnofitas Bristal :

This type of weather seal ensure smooth running of mosquito nets. It has few filament of polypropylene UV stabilized in between the yarn.



4.8 X 7 mm	4 X 400 mtr	Black
4.8 X 8 mm	4 X 350 mtr	Black
4.8 X 9 mm	4 X 250 mtr	Black
4.8 X 10 mm	4 X 250 mtr	Black
4.8 X 12 mm	4 X 200 mtr	Black
MPA 45` 5 X 10 mm	2 X 450 mtr	Black
MPA 45` 5 X 12 mm	2 X 350 mtr	Black

Tecnofitas QF :


Its non-woven films has good noise absorbing property.



6.8 X 5.5 X 7 mm	4 X 350 mtr	Grey
6.8 X 6.5 X 8 mm	4 X 300 mtr	Grey
6.8 X 7.5 X 9 mm	4 X 250 mtr	Grey

Tecnofitas 3QF :

Its 3 non-woven films has good noise absorbing property. In the center & both sides.



3QF 6.8 X 6 X 6 mm	2 X 700mtr	Grey
3QF 6.8 X 7 X 7 mm	2 X 600 mtr	Grey
3QF 6.8 X 8 X 8 mm	2 X 600 mtr	Grey

Tecnofitas TAPE :

This siliconized seal has adhesive at the back, which can be peeled to stick.




9 X 5 mm	8 X 125 mtr	Grey
7 X 10 mm	8 X 150 mtr	Grey

Mosquito Net Accessories









The Mosquito Net Accessories consists of high strength PVC Strip, Bristal Weather Seal, Plated Net, Thread , Speed Reducer, dedicated adhesive magnetic strip pairs of high viscosity and long lasting. It can be used with any shaped window and door with any material wood, steel, aluminum, plastic etc.

Application:- On window as mosquito screen protector which can be removed as per convinces and put back on as per required.



Magnetic Strip: Is made with high quality of permanet magnetic raw material. It has high tensile strength, flexible, bends without breaking. Magnetic strip A attracts with magnetic strip B or self attracts to make 1 magnetic strip.

		Size	Packing
101/102		11mm	250mtr box. 102 is a self adhesive strip
103/104		13 mm	250mtr box. 104 is a self adhesive strip
105/106		8 mm	250mtr box. 105 &106 attracts each other
107/108		13 mm	250mtr box.107 &108 are self adhesive strip.
109		8 mm x 6mm	250mtr box.
110		10 mm	250mtr box.
111		8 mm	250mtr box.
112		11 mm	250 mtr box.
113		7 mm	500 mtr box.
114		7.5x6 mm	250 mtr box.

115		8 mm	50 mtr . It has self adhesive at the back.
116		9x7.5 mm	250 mtr box.
117		9 mm	250 mtr box. It has self adhesive at the back.
118		10 mm	250 mtr box.
119		4.75 x 2.75 mm	250 mtr box.
120		7.80 x 5.3 mm	250 mtr box.
121		11 x 3.9 mm	250 mtr box.
122		8.10 x 3.2 mm	250 mtr box.

PVC Strip:

Is perfectly made to fit the wire mesh of mosquito net which holds the magnetic stripe. Its light weighted for easy use.



- . Colour: White, Brown, Black.
- . Material: PVC

Accessories

It is made to fit the frame of mosquito net . It consists of clip for PVC strip and corners.



- . Colour: White, Green, Black.
- . Material: PVC for corners and metal for clip

Mosquito Plated Mesh :

Is innovative mosquito screening solution for windows and doors. The inner nested cords holds each and every slide which enables durability and good resistivity during high wind. No retracting force is required open or close the net.



- . Materia: Polyester.
- . Colour: Black , Grey.
- . Width- 15mm | 18mm
- . Height- 2.2mtr | 2.5mtr | 3mtr
- . Length- 25mtr

Thread:

The Mesh operates on polyester thread with filament core on tension based technology.



- . 1kg Roll
- . Colour- Grey, Black.

Speed Reducer:

Its used for mosquito net allowing it to reduce the speed of the mosquito net rolling up .



- . Colour- Blue and Green.

Door Seal

Prevents insects, smoke, dust, water and air current from entering under the door. Door seals are specially designed to fill the gap between the door and the floor, which acts as a powerful barrier. We provide the huge range of door seal such as fin seal with and without the aluminum profile, PVC door seal, Tap (adhesive) door seal, Special Door Seal, Imported Door Seal with automatic lever button and D Profile door seal.



Aluminium Door Seal :

201	3` Feet Size
202	1 Meter Size
203	4` Feet Size



- . Weather Seal size: 6.9 x 12
- . Colour: Grey

FIN Door Seal :

204	3` Feet Size
205	1 Meter Size
206	4` Feet Size



- . Weather Seal size: 6.9 x 12 x 13 mm
- . Colour: Grey
- . It has a double plastic polypropylene fin welded in between the fibre.

Special Door Seal :


207	1 Meter Size
208	4` Feet Size



- . Weather Seal size: 3.8 x 25 mm
- . Colour: Black
- . Its thick brush provides a very high density durability.

With Aluminium Door Seal :

209	1 Meter Size
210	4` Feet Size



- . Weather Seal size: Height: 39 mm
- . Colour: Black
- . This door seal comes along with aluminum attached to the special door seal.

Tape Weather Seal :


218	Tape Weather Seal (7x10)
219	Tape Weather Seal (9x5)



- . Tap Weather Seal size: 7 x 10 mm comes in 150 mtr
- 9 x 5 mm comes in 125 mtr
- . Colour: Grey


Imported Door Seal :

211	1 Meter Size
212	4` Feet Size



- . Length: 380mm-1500mm(max).
- . Min/Max Gap: 3-15mm.
- . Finish: Anodized Silver.

213	1 Meter Size
214	4` Feet Size



- . Length: 380mm-1500mm(max).
- . Min/Max Gap: 3-15mm.
- . Finish: Anodized Silver.

215	1 Meter Size
216	4` Feet Size




- . Min/Max Gap: Up to 15mm
- . Finish: White Coating
- . It comes with self adhesive & fixed holes are pre-slotted.

217	PVC Door Seal 1 Meter
-----	-----------------------



- . It is completely flexible and do not crack and shrink.
- . Silicon pile are water proof.
- . Excellent self-adhesive property thus easy to install.
- . Colour: White .Height: 36 mm

220	D Profile (Foam)
-----	------------------



- .Weather Seal size:10 mm comes in 150 mtr .Colour: Brown
- .Outside PE Film has high wear resistance & inside PU sponge is shockproof & excellent elasticity.
- .It has self adhesive back tape

221	PVC Door Seal 1 Meter
222	PVC Door Seal 4` Feet




- . Weather Seal size:30 mm
- . Colour: Grey
- .This Seals has anti-collision buffer action

223	PVC Door Seal
-----	---------------



- . Weather Seal size: 20 mm
- . Colour: Grey
- .This Seals has anti-collision buffer action

224	IMP Door Seal 1 Meter Alu +Wool
225	IMP Door Seal 44" Alu +Wool



- . Weather Seal Height: 30 mm
- . Colour: Grey
- . It has both aluminium Section & wool pile.

226	IMP Door Seal 1 Meter Alu +PVC
227	IMP Door Seal 44" Alu +PVC



- . Weather Seal Height: 36 mm
- . Colour: Grey
- .This Seals has aluminium Section & PVC .



NATIONAL ALUMINIUM

G 1, Natraj Premises, Vallabhai Road, Near Railway crossing, Vile Parle (W),
Mumbai-400056 Email: info@technofitas.com Tel : 26123400.
Mob: +91 9930755912. WhatsApp: +91 9821053912, +91 9082433029