## Do you have SI Joint Pain?

Studies show that the Sacroiliac (SI) Joint is the cause of pain in 15-30% of patients with chronic low back pain.\*

Take this short quiz to find out if it could be the cause of yours.

What is your Gender? MALE | FEMALE
 Where the hurt Above the waist MOST?
 On one side or the other

At or below the buttocks

- Do you avoid sitting for long periods of time because of the pain?
   YES, sitting hurts | NO, sitting doesn't hurt
- 4. Does climbing stairs make the pain worse? YES | NO
- 5. Did the pain start during pregnancy or soon after childbirth? YES | NO (Answer 'no' if you've never been pregnant or the pain started before pregnancy)
- 6. Does traveling in a vehicle make your back or buttocks pain worse? YES | NO
- 7. Is it painful to stand on one leg (affected side) for a prolonged period? YES | NO
- 8. Does getting in and out of a car worsen the pain? YES | NO

If you have more 'YES' answers than 'NO', your SI joint may be a potential source of your pain. If you would like to be evaluated by a qualified provider, please make an appointment with Dr. Dan T. D. Nguyen at Neuroradiology & Pain Solutions of Oklahoma by calling (405)601-2325 or visiting https://npsokc.com/.

NOTE: Only a doctor can diagnose SI Joint dysfunction. This quiz is not a substitute for a physician's evaluation or diagnosis. \*Rashbaum — Clin Spine Surg 2016