



**SPLK***Tech*<sup>®</sup>



# ALL-IN-ONE PC

PRODUCT CATALOG





All-In-One PC

Business/Office series

19 inch

- F191 Narrow border
- HQ191 Narrow border

21.45 inch

Z2145 Borderless

21.5 inch

- HW215 Narrow border
- HQ215 Narrow border
- W215 Borderless
- D215 Borderless
- P215 Borderless

23.6 inch

HW236 Narrow border

23.8 inch

- D238 Borderless
- E238 Borderless
- H238 Borderless
- P238-PRO Borderless
- P238 Borderless
- PD238 Borderless
- Z238 Borderless

27 inch

D270 Borderless

30 inch

H300 Borderless

Industrial series

21.5 inch

HZ215 Borderless

23.8 inch

PX238 Borderless

27 inch

- PX270 Borderless
- F270 Borderless

## Business/Office series

---






# F191

## 19 inch Narrow border



- . Simple and fashionable appearance, available in black and white color
- . Depression angle of 5 ° & elevation angle of 10 ° can be adjusted manually
- . Porous heat dissipation, fast cooling
- . Built in high-quality speakers





# Product Parameters



# F191

Model: F191			
<b>Size</b>	19"	<b>Resolution</b>	1440*900
<b>Color</b>	Black/White	<b>Refresh</b>	/
<b>Base</b>	Aluminum alloy V-shape	<b>View Angle</b>	170° / 170°
<b>Panel Type</b>	LED	<b>Brightness</b>	200cd/m <sup>2</sup>
<b>Screen Type</b>	Straight	<b>Static Contrast</b>	/
<b>Display Scale</b>	16:10	<b>Color Temper.</b>	/
<b>Side Interface</b>	USB2.0/3.0 *2		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
<b>Function Keys</b>	Power Switch		
<b>Available Motherboard</b>	Mini-Itx 170*170mm		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	/		

# HQ191/HQ215

## 19/21.5 inch Narrow border




- . Simple appearance
- . Depression angle of 5 ° & elevation angle of 10 ° can be adjusted manually
- . Porous heat dissipation, fast cooling
- . Built in high-quality speakers



# HQ191



# HQ215



## Product Parameters

Model: HQ191/HQ215			
Size	19"/ 21.5"	Resolution	1440*900/1920*1080p
Color	White	Refresh	/
Base	Aluminum alloy V-shape	View Angle	170° / 170°
Panel Type	LED	Brightness	200cd/m <sup>2</sup>
Screen Type	Straight	Static Contrast	/
Display Scale	16:10/16:9	Color Temper.	/
Side Interface	USB2.0/3.0 *2		
Bottom Interface	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
Function Keys	Power Switch		
Available Motherboard	Mini-Itx 170*170mm		
Power Supply	Adapt according to the motherboard		
Horn	8Ω3W *2		
VESA	/		

# HQ191/HQ215




**HW215/HW236**

21.5/23.6 inch Narrow border




- . Simple and fashionable design, available in black and white
- . Depression angle of 5 ° & elevation angle of 10 ° can be adjusted manually
- . Porous heat dissipation, fast cooling
- . Built in high-quality speakers

### HW215



### HW236



## Product Parameters

Model: HW215/HW236			
Size	21.5"/ 23.6"	Resolution	1920*1080p
Color	Black/White	Refresh	/
Base	Aluminum alloy V-shape	View Angle	170° / 170°
Panel Type	LED	Brightness	200cd/m <sup>2</sup>
Screen Type	Straight	Static Contrast	/
Display Scale	16:10	Color Temper.	/
Side Interface	USB2.0/3.0 *2		
Bottom Interface	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
Function Keys	Power Switch		
Available Motherboard	Mini-Itx 170*170mm		
Power Supply	Adapt according to the motherboard		
Horn	8Ω3W *2		
VESA	/		

# HW215/HW236



# W215


## 21.5 inch borderless



- . Slim and beautiful, good helper for business office
- . Depression angle of 5 ° & elevation angle of 10 ° can be adjusted manually
- . Porous heat dissipation, fast cooling
- . Built in high-quality speakers



Available colors




Black



White



# Product Parameters



## W215

Model: W215			
<b>Size</b>	21.5"	<b>Resolution</b>	1920*1080p
<b>Color</b>	Black/White	<b>Refresh</b>	75Hz
<b>Base</b>	Aluminum alloy V-shape	<b>View Angle</b>	178° / 178°
<b>Panel Type</b>	LED	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Screen Type</b>	Straight	<b>Static Contrast</b>	3000:1
<b>Display Scale</b>	16:9	<b>Color Temper.</b>	/
<b>Side Interface</b>	USB2.0/3.0 *2		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
<b>Function Keys</b>	Power Switch		
<b>Available Motherboard</b>	Mini-Itx 170*170mm		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	/		

# D215/D238

## 21.5/23.8 inch ultrathin business /office/learning all-in-one PC



. All aluminum alloy quick release support base



. USB/Type-C Rotary camera  
. Rotated 180 ° to the left and 90 ° to the right  
. Available to adjust camera angle up to 15 ° and down to 25



Physical brightness adjustment

. Ultrathin and fashionable borderless design, the perfect integration of technology and art  
. Adjustable screen, depression angle 5 ° , elevation angle 10 ° , help correct sitting posture

. Efficient heat dissipation, intelligent mute

The three copper tube high-efficiency heat dissipation system and scientific air duct design greatly reduce the air flow resistance, and the system heat dissipation is more intelligent, efficient and silent

. High quality dual chamber horn

It adopts high-quality stereo dual speakers far beyond the industry, which is more pleasing to the ear

. Rich body interfaces to meet the different needs of customers

# Product Parameters

D215



D238



## Model: D215/D238


<b>Size</b>	21.5"/ 23.8"	<b>Resolution</b>	1920*1080p
<b>Color</b>	Black	<b>Refresh</b>	75Hz
<b>Base</b>	Aluminum alloy and quick release	<b>View Angle</b>	178° / 178°
<b>Panel Type</b>	IPS	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Screen Type</b>	Straight	<b>Static Contrast</b>	3000:1
<b>Display Scale</b>	16:9	<b>Color Temper.</b>	Adjustable
<b>Side Interface</b>	3 in 1 SD Card; USB2.0/3.0 *2; DVD-RW; Type-C		
<b>Back Interface</b>	Anti theft keyhole		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
<b>Function Keys</b>	Power switch; Physical brightness adjustment		
<b>Available Motherboard</b>	Mini-Itx 170*170mm		
<b>Extended function (optional)</b>	Rotatable camera, DVD-RW, 3 in 1 SD Card, Type-C		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	Support (100*100mm)		

# D215/D238



# D270

## 27 inch borderless



- . All aluminum alloy quick release support base



- . Press type hidden camera




- . 1k/2k/4k HD original LCD panel, meets the large screen, is comprehensive and excellent
- . Adjustable screen, depression angle 5 ° , elevation angle 10 ° , help correct sitting posture
- . Efficient heat dissipation, intelligent mute
- The three copper tube high-efficiency heat dissipation system and scientific air duct design greatly reduce the air flow resistance, and the system heat dissipation is more intelligent, efficient and silent
- . High quality dual chamber horn
- It adopts high-quality stereo dual speakers far beyond the industry, which is more pleasing to the ear
- . Rich body interfaces to meet the different needs of customers

# Product Parameters



Model: D270			
<b>Size</b>	27"	<b>Resolution</b>	1920*1080/2560*1440/ 3840*2160
<b>Color</b>	Black/White	<b>Refresh</b>	75Hz/144Hz/165Hz
<b>Base</b>	Aluminum alloy and quick release	<b>View Angle</b>	178° / 178°
<b>Panel Type</b>	IPS/ADS	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Screen Type</b>	Straight	<b>Static Contrast</b>	3000:1
<b>Display Scale</b>	16:9	<b>Color Temper.</b>	Adjustable
<b>Side Interface</b>	2 in 1 audio interface; 3 in 1 SD Card; Type-C; USB2.0/3.0 *2; DVD-RW		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack; Anti theft keyhole		
<b>Function Keys</b>	Power switch; Physical brightness adjustment		
<b>Available Motherboard</b>	Mini-Itx 170*170mm		
<b>Extended function (optional)</b>	Press type hidden camera; DVD-RW; 2 in 1 audio interface; 3 in 1 SD card; type-C; knife adding card		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W*2		
<b>VESA</b>	Support (100*100mm)		



# D270



# E238

# 23.8 inch borderless


Optional base



Black/White



Circular base




V-Shape base

Optional Color



Black



White

[Back](#)



# Product Parameters



## E238

### Model: E238

<b>Size</b>	23.8"	<b>Resolution</b>	1920*1080p
<b>Color</b>	Black/White	<b>Refresh</b>	75Hz
<b>Base</b>	Circular/ V-shape	<b>View Angle</b>	178° / 178°
<b>Panel Type</b>	LED	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Screen Type</b>	Straight	<b>Static Contrast</b>	3000:1
<b>Display Scale</b>	16:9	<b>Color Temper.</b>	/
<b>Side Interface</b>	USB2.0/3.0 *2		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
<b>Function Keys</b>	Power switch		
<b>Available Motherboard</b>	Mini-Itx 170*170mm		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	/		

# H238


## 23.8 inch borderless






# H238

## 23.8 inch borderless





# Product Parameters



Model: H238			
<b>Size</b>	23.8"	<b>Resolution</b>	1920*1080p
<b>Color</b>	Black/White	<b>Refresh</b>	75Hz
<b>Base</b>	Aluminum alloy round / square	<b>View Angle</b>	178° / 178°
<b>Panel Type</b>	IPS	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Screen Type</b>	Straight	<b>Static Contrast</b>	3000:1
<b>Display Scale</b>	16:9	<b>Color Temper.</b>	/
<b>Side Interface</b>	USB2.0/3.0 *2		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack; 3 in 1 SD card		
<b>Function Keys</b>	Power switch; Physical brightness adjustment		
<b>Available Motherboard</b>	Mini-Itx 170*170mm		
<b>Extended function (optional)</b>	Press type hidden camera, 3 in 1 SD card		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	/		


# H238

# P215/P238


## 21.5/23.8 inch borderless




- . New hard screen technology ads HD colorful LCD panel, 1920x1080p Full HD resolution, 178 ° wide viewing angle, 16.7 million colors, 3000:1 static contrast, 100% sRGB wide color gamut, High light transmittance
- . High quality sound, 3D surround sound
- . Optional lower camera



Available back covers



Brushed back cover



Semi circular arc rear cover

# Product Parameters

P215



P238



Model: P215/P238

<b>Size</b>	21.5"/ 23.8"	<b>Resolution</b>	1920*1080p
<b>Color</b>	Black/White	<b>Refresh</b>	75Hz
<b>Base</b>	Aluminum alloy U-shape	<b>View Angle</b>	178° / 178°
<b>Back Cover</b>	Brushed / Semi-circular arc	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Panel Type</b>	IPS	<b>Static Contrast</b>	3000:1
<b>Screen Type</b>	Straight	<b>Color Temper.</b>	/
<b>Display Scale</b>	16:9		
<b>Side Interface</b>	USB2.0/3.0 *2		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
<b>Function Keys</b>	Power switch		
<b>Available Motherboard</b>	Mini-Itx 170*170mm		
<b>Extended function (optional)</b>	Camera		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	Support (Brushed back cover: 100*100mm)		

# P215/P238



# P238-PRO

## 23.8inch Touch, lift and rotate



Turn your heart to open a better life



The intimate design highlights ergonomics. At the same time, it can touch the screen, support up and down, rotate left and right, and flip at will. No matter what angle of view, it can have the most comfortable viewing mode, and can meet the requirements of more different working environments.

Pursue high-end quality of precision manufacturing and perfect details.

Each product is carved like a work of art, highlighting the high-end atmosphere and grade.



# Product Parameters



Model: P238-PRO			
Size	23.8"	Resolution	1920*1080p
Color	Black	Refresh	75Hz
Base	Lifte and rotate	View Angle	178° / 178°
Back Cover	Brushed back cover	Brightness	250cd/m <sup>2</sup>
Panel Type	IPS	Static Contrast	3000:1
Screen Type	Straight	Color Temper.	/
Display Scale	16:9	Ten point capacitive touch	Optional
Side Interface	3 in 1 SD card; USB2.0/3.0 *2; DVD		
Bottom Interface	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
Function Keys	Power switch		
Available Motherboard	Mini-Itx 170*170mm		
Extended function (optional)	Camera, DVD, 3 in 1 SD card		
Power Supply	Adapt according to the motherboard		
Horn	8Ω3W*2		
VESA	Support (Brushed back cover: 100*100mm)		

# P238-PRO



# PD238

## 23.8 inch multifunctional business



Black/White



[Back](#)

**SPLK**Tech



# PD238

## 23.8 inch multifunctional business

### Available Base



New base



U-Shape base



Square base

### Available back cover



Brushed back cover



Perforated rear cover

Brushed back cover: Recommended for centralized display

Perforated back cover: Recommended for centralized display and independent display



. Adjustable screen, depression angle 5 ° , elevation angle 10 °

. Efficient heat dissipation, intelligent mute

Triple heat dissipation of copper tube, silica gel and fan, combined with compact layout, Greatly reduce the air flow resistance, and the system heat dissipation is more intelligent, efficient and silent

. High quality double horn

It adopts high-quality stereo dual speakers far beyond the industry, which is more pleasing to the ear

. Rich body interfaces to meet the different needs of customers

# PD238

## Product Parameters

Model: PD238			
<b>Size</b>	23.8"	<b>Display Scale</b>	16:9
<b>Color</b>	Black/White	<b>Resolution</b>	1920*1080p
<b>Base</b>	U-shape /Square/ New base	<b>Refresh</b>	75Hz
		<b>View Angle</b>	178° / 178°
<b>Back Cover</b>	Brushed back cover/Perforated rear cover	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Panel Type</b>	IPS	<b>Static Contrast</b>	3000:1
<b>Screen Type</b>	Straight	<b>Color Temper.</b>	Adjustable
<b>Side Interface</b>	3 in 1 SD card; USB2.0/3.0 *2; DVD-ROM; Type-C		
<b>Back Interface</b>	Anti theft keyhole		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
<b>Function Keys</b>	Power switch; Brightness adjustment +; Brightness adjustment-		
<b>Available Motherboard</b>	Mini itx 170*190mm or less		
<b>Size for Standalone Graphics Card</b>	175*70*25mm		
<b>Extended function (optional)</b>	Camera, DVD-ROM, SD card, Type-C, Optional for Standalone Graphics Card		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	Support (100*100mm)		



# Z2145/Z238

21.45/23.8 inch IPS screen

### Available Color





- Vitality orange
- Rose red
- Wishes blue
- Ivory

### Available Base

Square Base

V-Shape Base



Colorful indie pop

Meet indie pop, colorful life

Back





**Z2145****Z238**

# Product Parameters

Model: Z2145/Z238			
<b>Size</b>	21.45"/ 23.8"	<b>Resolution</b>	1920*1080p
<b>Color</b>	Vitality orange; Rose red; Wishes blue; Ivory	<b>Refresh</b>	75Hz
<b>Base</b>	Square/V-shape	<b>View Angle</b>	178° / 178°
<b>Back Cover</b>	Integrated backlight	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Panel Type</b>	IPS	<b>Static Contrast</b>	3000:1
<b>Screen Type</b>	Straight	<b>Color Temper.</b>	/
<b>Display Scale</b>	16:9		
<b>Side Interface</b>	USB2.0/3.0 *2		
<b>Back Interface</b>	Anti theft keyhole		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
<b>Function Keys</b>	Power switch		
<b>Available Motherboard</b>	Mini-Itx 170*170mm		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	/		

# Z2145/Z238

# H300

## 30 inch HD hairtail screen

**NEW**



Black/White color optional



HD vision belongs to you



. 30 inch hairtail screen (21:9) all-in-one PC, 2K HD, 2560\*1080p resolution, gives you a broader vision and brings you an immersive experience at the cinema level.

[Back](#)


**SPLK**Tech



# Lifting rotating base




Placed at any angle to meet your different visual needs





# Product Parameters



# H300

Model: H300			
<b>Size</b>	30"	<b>Resolution</b>	VA HD2560*1080p
<b>Color</b>	Black/White	<b>Refresh</b>	200Hz
<b>Base</b>	Quick release V-shaped base / Lifting base	<b>View Angle</b>	178° / 178°
<b>Panel Type</b>	VA	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Screen Type</b>	Straight	<b>Static Contrast</b>	3000:1
<b>Display Scale</b>	21:9 hairtail screen	<b>Eye care technology</b>	Non flashing+ Blu-ray filtering technology
<b>Display color</b>	16.7 million colors	<b>Special functions</b>	DCR intelligent dynamic contrast+Game Puls+FreeSync+Dark field control+HDR
<b>Color Temper.</b>	Adjustable		
<b>Side Interface</b>	USB2.0/3.0 *2		
<b>Back Interface</b>	Anti theft keyhole		
<b>Lower interface</b>	3 in 1 SD card		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; RJ45 Interface; Audio Jack		
<b>Function Keys</b>	Power switch, display switch, exit, brightness adjustment +, brightness adjustment-, menu		
<b>Available Motherboard</b>	Mini-Itx 170*190mm or less		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W*2		
<b>Vesa</b>	Support (Size: 100*100mm)		

## Industrial series

---





# F270

## 27 inch 4K dedicated graphics card and borderless



. Press type hidden camera

- . Stereoscopic design, fashionable appearance
- . Super heat dissipation
- . All aluminum alloy quick release base






# Product Parameters



## Model: F270

<b>Size</b>	27"	<b>Resolution</b>	1920*1080/2560*1440 /3840*2160
<b>Color</b>	Black	<b>Refresh</b>	75Hz/144Hz/165Hz
<b>Base</b>	Circular bass	<b>View Angle</b>	178° / 178°
<b>Back Cover</b>	Stereoscopic design	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Panel Type</b>	IPS/ADS	<b>Static Contrast</b>	3000:1
<b>Screen Type</b>	Straight	<b>Color Temper.</b>	Adjustable
<b>Display Scale</b>	16:9		
<b>Side Interface</b>	2 in 1 audio interface; 3 in 1 SD card; Type-C; USB2.0/3.0 *2		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; Interface; Audio Jack; Anti theft keyhole		
<b>Function Keys</b>	Power switch; Physical brightness adjustment		
<b>Available Motherboard</b>	Mini-Itx 170*170mm/170*190mm		
<b>Extended function (optional)</b>	2 in 1 audio interface; 3 in 1 SD card; Type-C; Press type hidden camera		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	Support		




# F270

# HZ215

21.5 inch borderless  
and IPS screen




The LED screen is designed separately from the host, plug and play, which is convenient for replacement, configuration and after-sales.



Leading the industry with wisdom



# Product Parameters




## HZ215

Model: HZ215			
<b>Size</b>	21.5"	<b>Resolution</b>	1920*1080p
<b>Color</b>	Black/White	<b>Refresh</b>	75Hz
<b>Base</b>	U-Shape	<b>View Angle</b>	178° / 178°
<b>Back Cover</b>	Integrated backlight	<b>Brightness</b>	250cd/m <sup>2</sup>
<b>Panel Type</b>	IPS	<b>Static Contrast</b>	3000:1
<b>Screen Type</b>	Straight	<b>Color Temper.</b>	/
<b>Display Scale</b>	16:9		
<b>Side Interface</b>	USB2.0/3.0 *1		
<b>Bottom Interface</b>	DC Jack; HDMI; VGA/COM; USB2.0/3.0 *4; Interface; Audio Jack		
<b>Function Keys</b>	Power switch		
<b>Available Motherboard</b>	Mini-Itx 170*170mm		
<b>Power Supply</b>	Adapt according to the motherboard		
<b>Horn</b>	8Ω3W *2		
<b>VESA</b>	Support (100*100mm)		


# PX238/PX270

23.8/27 inch dedicated graphics card




- . PX238 is suitable for Mini-itx 170\*170mm motherboard
- . PX270 is suitable for mainboards with Mini-itx less than 170\*190mm
- . Free choice of high-end large video memory, more powerful performance, more open tasks without pressure, play large-scale games, realistic picture quality, refuse to drop frames

Black/White



Rich interfaces, comprehensive functions, and can connect a variety of devices

(Bottom interface diagram)





# Product Parameters

PX238



PX270



Model: PX238/PX270

Size	23.8"/ 27"	Resolution	1920*1080p
Color	Black/White	Refresh	75Hz
Base	U-Shape	View Angle	178° / 178°
Back Cover	Integrated backlight	Brightness	250cd/m <sup>2</sup>
Panel Type	IPS	Static Contrast	3000:1
Screen Type	Straight	Color Temper.	/
Display Scale	16:9		
Side Interface	USB2.0/3.0 *2		
Bottom Interface	DC Jack; HDMI*2; RJ45 Interface; USB2.0/3.0 *4; Audio Jack; DVI; VGA/COM; HDMI		
Function Keys	Power switch		
Available Motherboard	Mini-Itx 170*190mm以下(PX270)、170*170mm(PX238)		
Size for Standalone Graphics Card	PX238: length not more than 18.5cm; PX270: length not more than 21.5cm		
Power Supply	Adapt according to the motherboard		
Horn	8Ω3W *2		
VESA	/		

# PX238/PX270

# Other models

## C238





# Other models SW238



[Back](#)

# Other models

## A238

