

SPLK*Tech*[®]



Mini PC



Space- 3

D3



Ryzen 5 4500U

Ryzen 7 5825U

2*DDR4 ram slots, max 64GB 2666/3200MHz

1*M.2 22x80 NVME/PCIE3.0x4/SATA SSD

1*2.5" SATA3.0 HDD/SSD

1*2230 M.2 WiFi Slot

Ports

1*HDMI 2.0

1*DP

1*Type C, 2*USB3.0

2*USB 2.0

2*RJ45 LAN

1*Audio

1*Type C PD charge

Size 133*133*50mm

D4



Intel Adler Lake N100
LPDDR5 8GB
4800MHz (M.2 SATA)

Intel Adler Lake N100
LPDDR5 16GB
4800MHz (M.2 NVME)

GPU: Intel UHD Graphics Gen12 750MHz
24EUS

Ram: onboard LPDDR5 8GB 4800MHz

SSD: Support M.2 2280 NGFF/SATA

HDD: Support 2.5inch 7mm SATA

HDD/SSD

WiFi: Dual Band AC WiFi5 with Bluetooth 4.2

Ports

RJ45: 2 x 100/1000M

Realtek chip

I/O: 1 x USB 3.0, 3 x

USB 2.0, 1 x HDMI2.0

1 x DP, 2 x RJ45 LAN, 1

x TF card slot, 1 x

Kensington Lock hole,

1 x 3.5mm Audio Jack,

1 x switch, 1 x DC IN

Power: 12V 3A

Size 124x126.5x62

D5



Athlon Gold 3150U

Ryzen 5 3550H

Ryzen 7 3750H

Ram: 2 x DDR4 slots, up to 32GB

SSD: M.2 2280 NVME SSD

WiFi: WiFi5 with Bluetooth4.2

Ports

1*HDMI

1*DP

4* USB3.0

1*Audio

1*Switch

1*DC-IN

1*RJ45 2.5 LAN

Size 129*129*42

D6



Ryzen 7 7730U

Ryzen 7 5700U

Ryzen 5 5600H

Ram: 2 x DDR4 slots, up to 64GB
SSD: 1* M.2 2280 NVME pcie3.0
sata+1*2242 pcie3.0 sata

WiFi: WiFi6 with Bluetooth5.

Ports

2*HDMI
1*type-c
2* USB3.0; 2* USB2.0
1*Audio
1*Switch
1*DC-IN
1*RJ45 2.5 LAN

Size 114*106*37.5

HX99G



Ryzen 9 6900HX

RX6600M

CGPU: AMD Radeon RX 6600M 8G

Ram: 2 x DDR5 slots, support 4800MHz

SSD: M.2 2280 PCIe 4.0

HDD: Support 2.5inch 7-9mm HDD/SSD

WiFi: 802.11 AX WiFi6 with Bluetooth 5.2

Ports

2*HDMI
2* USB4.0
1* USB 3.2 Gen1 Type-C
3* USB 3.2 Gen2
Type-A
1*Microphone Jack
1*Headphone Jack
1*RJ45 2.5 LAN

Size 205*203*69.3

NAD9



i9-12900H WiFi6

Ram: 2 x DDR4 slots, max 64GB

SSD: M.2 2280 NVME PCIe 4.0

Hdd: 2.5inch SATA3.0 HDD slot x 2

WiFi: 802.11 AX wIfi6 with Bluetooth5.2

Ports

2*HDMI
3* USB 3.2 Gen2
Type-C
1*USB 3.2 Gen2 Type-A
1* USB 2.0 Type-A
1*Microphone jack
1*Headphone Jack
1*Rj45 2.5 LAN

UM77 3 Lite



Ryzen 7 7735HS WiFi6

Ram: 2 x DDR5 slots
 SSD: M.2 2280 NVME PCIe 4.0
 HDD: 2.5inch SATA3.0 hdd Slot
 WiFi: 8WiFi6 with Bluetooth 5.2

Ports

2*HDMI
 1*USB-C
 1*USB4
 2*USB 3.2 Gen2
 Type-A
 2*USB 2.0 Type-A
 1*3.5mm Audio Jack
 1*DMIC

Size 128*128*48.2

M600



R5-6650U 6600U

Ryzen 5 6600H

Ryzen 7 6800H

Ryzen 9 6900HX

CGPU: AMD Radeon 680M/660M
 Ram: 2 x SO-DIMM DDR5 slots, support 4800MHz
 SSD: Support 2xM.2 2280 NVME/PCIe4.0x4/SATA
 HDD: Support 2.5inch 7-9mm HDD/SSD
 WiFi: 802.11 AX WiFi6 with Bluetooth5.2

Ports

RJ45: 2 x 100/1000/2500M
 Front I/O: 2 x USB 3.2, 1 x Type-C USB4.0 thunderbolt 3, 1 x 4800MHz Switch
 Rear I/O: 1 x USB 3.2, 3 x USB 2.0, 1 x HDMI2.1, 1 x DP1.4, 2 x 2.5G RJ45 LAN, 1 x

Size 149*145*40

V500



i5-1235U

i7-1260P

i9-12900H

GPU: Intel Iris Xe Graphics G7(request dual channel DDR4 memory)
 Ram: 2 x SO-DIMM DDR4 slots, support 3200MHz
 SSD: 1xM.2 2280 PCIe4.0(read speed:5000-7000MB/S), 1xM.2 2280 PCIe3.0
 HDD: Support 2.5inch 7mm HDD/SSD
 WiFi: 802.11AX WiFi6 with Bluetooth5.2, external dual antennas for better signal

Ports

3 x USB3.2,
 3 x USB 2.0,
 1 x HDMI2.0,
 1 x DP1.4,1 x Type-C,
 2 x RJ45(2.5G&1G) LAN,
 1 x Audio,
 1 x DC-IN

Size 145x145x46

V600



i5-T240P T250P

i7-T260P T270P

i7-T2700H

i9-T2900H

GPU: Intel Iris Xe Graphics G7(request dual
1 x Type-C, 1 x SPK, 1 x channel DDR4 memory)
Ram: 2 x SO-DIMM DDR4 slots,
SSD: 1xM.2 2280 NVME/PCIE4.0x4, 1xM.2
2280 NVME/PCIE3.0x1
HDD: Support 2.5inch 7mm HDD/SSD
WiFi: 802.11AX WiFi6 with Bluetooth5.2

Ports

RJ45: 2 x
100/1000/2500M
Front I/O: 4 x USB 3.2,
1 x Type-C, 1 x SPK, 1 x
MIC, 1 X Switch
Rear I/O: 2 x USB 2.0,
2 x HDMI2.0, 1
DP1.4, 2 x RJ45 LAN, 1
x DC-IN
Power: 19V 4.74-9A
Size 174*128.5*45

S600



i5 T2450H

i7-T2650H

i9 T2900H

i9 T2900HK

GPU: Intel Iris Xe Graphics G7
Ram: 2 x SO-DIMM DDR4 slots, support
3200MHz
SSD: Support 1xM.2 2280
NVME/PCIE3.0x4(default), 1xM.2 2280
NVME/PCIE4.0x4
HDD: Support 2.5inch 7mm HDD
WiFi: Intel AX211 WiFi6E with Bluetooth5.2

Ports

RJ45: 1 x 100/1000M, 1
x 100/1000/2500M
Front I/O: 2 x USB 3.2,
1 x Type-C
1 x Switch
Rear I/O: 2 x USB 3.2,
2 x USB 2.0,
1 x HDMI2.0,
1 x DP1.4,
2 x RJ45 LAN,
1 x Audio,
1 x DC-IN
Size 149*145*55

S500+



R5 5500U

R7 5825U

R9 5900HX

2xSODIMM DDR4 memory slot up to 64GB
2*M.2 2280 NVME/PCIE3.0x4 SSD
1*7mm 2.5" SATA3.0 HDD/SSD
1*2230 M.2 WiFi Slot

Ports

2 x USB3.2
4 x USB2.0
1 x Type-C 4K@60hz
1 x HADMI2.04K@60hz
2 x RJ45
LAN(2.5G+1G)
1 x Audio(MIC&SPK)
1 x DC-IN
Size 149*145*40

F 11



i7 11370H+MX450 2G

i5 12500H+1060 4G

i7 12700H+1060 4G

i9-12900H GTX1060 4G

Onboard Dual Graphics: NVIDIA GeForce dedicated graphics+Intel Iris Xe Graphics
Memory: 2xSO-DIMM DDR4 ram slots, support max 64GB 3200MHz.

Storage:1*M.2 2280 NVME/PCIE3.0x4/SATA3.0 SSD+1*2.5" SATA3.0 HDD/SSD
wireless:M.2 2230 2.4G/5G Dual band 4GAC(AX) WiFi/Bluetooth

Ports

2xUSB3.0
6xUSB2.0
1*Type-C
2*HDMI2.0(4K@60Hz)
1*RJ45 Lan
1 x Audio
1 x Mic
1 x DC-IN

Size 180*180*53

V400



Core i3-1115G4

Core i5-1135G7

Core i7-1165G7

Core i7 1260P

2*DDR4 ram slots, max 64GB
2666/3200MHz

1*M.2 22x80 NVME/PCIE3.0x4/SATA SSD
1*2.5" SATA3.0 HDD/SSD
1*2230 M.2 WiFi Slot

Ports

2*HDMI 2.0
1*DP1.4,
1*Type C 雷电 4.0,
4*USB3.0,
1*USB2.0,
1*RJ45 LAN,
1*SPK,
1*MIC,
1*DC IN

Size 133*124*48

MU05



Core i3-1115G

Core i5-1135G7

Core i7-1165G7

R9 5900HX

2*DDR4 ram slots, max 64GB
2666/3200MHz

1*M.2 22x80 NVME/PCIE3.0x4/SATA SSD
1*2.5" SATA3.0 HDD/SSD
1*2230 M.2 WiFi Slot

Ports

1*HDMI 2.0, 1*DP1.4,
1*Type C 雷电4.0,
4*USB3.0, 2*USB2.0,
1*RJ45 LAN,
1*Audio, 1*DC IN

Size 128*128*45

F 11



Core i35-1135G7

Core i7-1165G7

2*DDR4 ram slots, max 64GB
2666/3200MHz
1*M.2 22x80 NVMe/PCIE3.0x4/SATA SSD
1*2.5" SATA3.0 HDD/SSD
1*2230 M.2 WiFi Slot

Ports

1*HDMI 2.0,
1*DP1.4,
1*Type C thunderbolt4.0,
4*USB3.0,
2*USB2.0,
1*RJ45 LAN,
1*Audio,1*DC IN

Size 138*128*42

M8S



Celeron N100 8G
DDR5 4800MHz

Celeron N100 16G
DDR5 4800MHz

Core i7-1165G7

RAM: 8GB/16GB LPDDR5 4800MHz
onboard
Storage: 1*M.2 2242 SATA SSD, also
support NVMe/PCIE3.0x2
Graphic card: Intel UHD Graphics Gen12
750MHz 24EUS
Wireless: Intel AX201 2.4G/5G dual-band
WiFi6, Bluetooth 5.2

Ports

Ethernet port:
2*1000M RJ45 LAN
Video port:
2*HDMI2.0+1*DP1.4
USB port: 3*USB3.0
Heat-sink: Smart silent fan
Power Supply: 12V/3A

Size 87*87*39

M9



Intel Alder Lake N100

Intel N95

Core i7-1165G7

R9 5900HX

4Memory: DDR4/3200MHZ Max Up to 32GB
Storage : M.22280 PCIe/NVMe+SSD
M.22242 SATA/ngff
Wireless:: 2.4G/5.0WIFI6+ BT5.2

Ports

USB3.2*4
HDMI2.0*2
RJ45*1
Audio Jack*1

Size 113*106*42

X4C-L



Intel N95

Intel N100

Intel N200

Intel Core i3-N305

2xDDR5 SODIMM ram slot, support 4800MHz

2xM.2 NVMe/PCIe3.0 2280 SSD

1xM.2 2232 slot

Ports

1*HDMI2.1, 1*DP1.4,

4xIntel i226-V 2.5G

4xUSB2.0

1*TF card slot,

1*BIOS reset key

1*DC-IN

Size 158*135*60

X4F



Ryzen 5 5600U

Ryzen 7 5800U

Ryzen 7 5825U

2 x SO-DIMM DDR4 Slot

2xM.2 2280 NVMe/PCIe3.0x2 SSD

2x2.5"SATA3.0 SSD/HDD

1xM.2 WiFi slot

Ports

1*HDMI2.0,

1*DP1.4, 1*Type-C,

4*i226-V 2.5G LAN,

2*USB3.0, 2*USB2.0,

1*TF card slot,

1*BIOS reset key

1*DC-IN

Size 168*131*60

X2



Celeron-J4125(i223/i226)

Celeron N4000 (i226)

2xSO-DIMM DDR4 Slot

1xMSATA3.0 SSD

1x2.5"SATA3.0 SSD/HDD

Ports

1*HDMI,

1*VGA,

4*i226-V 2.5G LAN,

2*USB3.0,

1*SIM card slot,

1*DC-IN

Size 125*136*40

X2B

N5105/N5100 4xi226/i225



Core i7-1165G7BB
Celeron-N5100

R9 5900HX

Celeron-N5105 (i225/i226)

2xSO-DIMM DDR4 Slot

1xM.2 NVMe SSD

1x2.5"SATA3.0 SSD/HDD

Ports

1*HDMI, 1*DP

1xRJ45 COM console

4*i225-V B3 2.5G LAN

USB3.0, 2*USB2.0,

1*SIM card slot,

1*DC-IN

Size 125*136*40

X2B




Intel N100 i226-V DDR5

21xDDR5 SODIMM non-ecc ram slot,
support 4800MHz
1xM.2 NVMe SSD
1x2.5"SATA3.0 SSD/HDD

Ports

1*HDMI, 1*DP
1*RJ45 COM,
4*i226-V B3 2.5G
LAN,
2*USB3.0, 2*USB2.0,
1*SIM card slot,
1*DC-IN
Size 125*136*40

X5



Celeron j6412

Celeron j6413

2 x SO-DIMM DDR4 Slot
1xM.2 NVMe SSD
1x2.5"SATA3.0 SSD/HDD
1xM.2 2232 WiFi slot

Ports

1*HDMI, 1*DP
4*i226-V 2.5G LAN
1*USB3.0, 4*USB2.0,
1*Type-C, 1*TF slot
1*Reset, 1*DC-IN
Size 178*126*55

X5A-L



Intel N100

1xDDR5 SODIMM ram slot, support
4800MHz.
Support triple storage: 2xM.2 2280
NVMe/PCIe3.0x1 2280 SSD+1x2.5 inch
SATA3.0 SSD/HDD

Ports

5xIntel i226-V 2.5G
RJ45 LANs,
4xUSB2.0
1xTF card slot
4x4K display:
2xHDMI2.1, 1xDP1.4,
1xType-C(support 3-screens display at same time)
Size 158*126.5*60.2

X6B



Pentium Gold 8505

Core-i3 1215U

Core i7-1165G7

Core-i5 1235U

Core-i7 1265U

2 x SO-DIMM DDR4 Slot
1xM.2 NVMe SSD
1x2.5"SATA3.0 SSD/HDD
1xM.2 2232 WiFi slot

Ports

1*HDMI2.1, 1*DP1.4
6*i226-V 2.5G LAN
2*USB3.2 Gen2
2*USB3.0
1*Type-C, 1*TF slot
1*Reset, 1*DC-IN
Size 178*145*55

X6C



黑/灰

i3-1215U

i5-1235U

i7-1265U

Pentium Gold 8505

2 x SO-DIMM DDR4 Slot
1xM.2 NVMe SSD
1x2.5"SATA3.0 SSD/HDD
1xM.2 2232 WiFi slot

Ports

1*HDMI2.1, 1*DP1.4
6*i226-V 2.5G LAN
2*USB3.2 Gen2
2*USB3.0, 1*Type-C
1*TF slot, 1*Reset
1*DC-IN

Size 158*145*60

F5



Core-i7-9750H
GTX 1650 4G

Core-i7-10750H
GTX 1650 4G

Core-i9-9880H
GTX 1650 4G

Core-i9-10885H
GTX 1650Ti

2 x SO-DIMM DDR4 ram slot, max 64GB
2400MHz
1*M.2 2280 NVME/PCIE3.0x4/SATA SSD
1*2.5" SATA3.0 SSD/HDD
1*2230 M.2 WiFi Slot

Ports

4*USB3.0
2*USB2.0
1*Type-C
1*LAN
1*HDMI 4K@30Hz
1*DP 4K@60HZ
1*Audio
1*DC-IN

Size 222*195*39



Core-i7-10870H
RTX 2060 6G

Core-i9-10885H
RTX 2060 6G

2 x SO-DIMM DDR4 ram slot, max 64GB
2400MHz
SSD: SUPPORT 1xM.2 2280 NVME/PCIE3.0x4
HDD: Support 2.5inch 7mm HDD/SSD
WiFi: Dual band AX WiFi6 with Bluetooth 5.2

Ports

1 x Switch,
4 x USB 3.0; 4 X USB 2.0,
2 x HDMI, 1 x DP,
1 x Type-C,
1 x RJ45 LAN
1 x Audio, 1 x DC-IN

Size 214x190x65

F8



Core-i7-8750H 8850H

Core-i7-9750H 9850H

Core-i9 9880H

Core-i5 10200H

Core-i7 10870H

Core-i5 1135G7

Core-i7 1165G7

Core-i7 11800H

Core-i9 11900H

i5-1240P 1250P DDR5

i7-1265U 1255U DDR5

i7-1280P 2xDDR5

Ryzen 5 5625U

Ryzen 7 5800H

Ryzen 9 5900HX

2*SO-DIMM DDR4 ram slots, max 64GB2666MHz
1*M.2 2280 NVMe/SATA SSD+1*M.2 2280 NVMe SSD
1*2230 M.2 WiFi Slot

Ports

3*USB3.0
4*USB2.0
1*LAN
1*Type-C 4K@60Hz
1*HDMI2.0 4K@60Hz
1*DP 45K@60Hz
1*TF card slot
1*SPK
1*MIC
1*DC-IN

Size 202*130*37

F10



Core-i5-9300H
GTX 1650 4G

Core-i7-9750H
GTX 1650 4G

Core-i9-9880H
GTX 1650 4G

i7-12700H RTX3050
4G

i9-12900H RTX3050 Ti
4G

i9-12900H RTX3050 Ti
8G

2*SO-DIMM DDR4 ram slots, max 64GB 2666MHz
1*M.2 2280 NVMe/PCIe3.0x4/SATA3.0 SSD+1*M.2 2280 SATA3.0 SSD+1*2.5" SATA3.0 SSD/HDD
1*2230 M.2 WiFi Slot

Ports

4*USB3.0
2*USB2.0
1*LAN
1*HDMI2.0 4K@60Hz
1*HDMI1.4 4K@30Hz
1*Type-C 4K@60Hz
1*SPK
1*MIC
1*DC-IN

Size 230*223*60

N2



Celeron-N5105

Pentium-N6005

2 x SO-DIMM DDR4 Slot
2xM.2 2280 NVMe SSD
6xSATA3.0 SSD/HDD

Ports

2 x USB2.0 , 2x USB3.0
1xHDMI ,1xDP
1xUSB 2.0 (supports ESD protection)
4xIntel i226-V 2.5G LAN

Size 170*170

N3



Celeron-N5105

2 x SO-DIMM DDR4 Slot
2xM.2 2280 NVMe SSD
6xSATA3.0 SSD/HDD

Ports

2 x USB2.0 , 2x USB3.0
1xHDMI ,1xDP
1xUSB 2.0 (supports ESD protection)
4xIntel i226-V 2.5G LAN

Size 170*170

N4



Celeron-J6412

Celeron-J6413


2x SO-DIMM DDR4 Slot
2xM.2 2280 NVMe SSD
6xSATA3.0 SSD/HDD

Ports

2 x USB2.0 , 2x USB3.0
1xHDMI ,1xDP
1xRJ 45 COM
2xIntel i226-V 2.5G LAN
1xRealtek RTL8125BG 2.5 LAN
1xPCIE

Size 170*170

N5



Celeron N5100

Celeron N5105

2 x SO-DIMM DDR4 Slot,
1xM.2 2280 NVMe SSD
6xSATA3.0 SSD/HDD

Ports

2 x USB2.0 , 2x USB3.0
1xHDMI ,1xDP
4xIntel i226-V 2.5G LAN
1xPCIE

Size 170*170

J4125-6L-9C



Celeron-J4125

1 x SO-DIMM DDR4 Slot,
1xMSATA3.0 SSD
1X2.5"SATA SSD/HDD

Ports

1*VGA or 1*HDMI
1*RJ45 COM
6*i225-V B3 2.5G LAN
2*USB3.0

1*SIM card slot

1*Reset


1*DC-IN

Size 200*180 (motherboard size)

J4125-6L-1U



1U-TP 6L Fan



Core-i5 1135G7

2 x SO-DIMM DDR4 Slot,
1xM.2 NVMe SSD
1xMSATA3.0 SSD
1X2.5"SATA SSD/HDD

Ports

1*VGA or 1*HDMI
1*RJ45 COM

6*i225-V B3 2.5G LAN

2*USB3.0

1*SIM card slot

1*Reset

1*DC-IN

Size 170*170 (motherboard size)



Core-i7 1165G7