

**ETACO**  
FIXING SOLUTIONS



**ETACO**  
FIXING SOLUTIONS

(+2) 01228643732  
Info@etacogroup.com  
www.etacogroup.com

Building **Trust**  
Achieving **Success**





## Our History

ETACO, founded in Egypt in 1995, has firmly established itself as a dependable collaborator with a primary focus on SPIT.

Our enduring partnership with SPIT has empowered us to deliver top-tier products and services to our valued customers throughout the years, and we are committed to perpetuating this collaboration, ensuring our customers receive nothing short of the finest experience.

## We Help You Complete Your Projects.



Within the construction and manufacturing arena, ETACO stands tall as a prominent figure. With a capital of 20 million Egyptian pounds and an impressive annual business volume of 250 million Egyptian pounds, we are renowned for our steadfast pursuit of excellence and a strong inclination for innovation.

As a premier distributor and manufacturer of construction tools and materials, we have earned the trust of diverse projects across Egypt.

In 2002, our state-of-the-art manufacturing facility underwent significant expansion, broadening our product portfolio to encompass threaded rods, bolts, gas nails, powder nails, screws, U-bolts, anchor bolts (type J, L, with threaded sides), wedge anchors, drop-in anchors, drywall screws, self-drilling screws, shear studs, and customized fasteners, offering a variety of grades and various coating finishes.

This expansion firmly solidified ETACO's position as a preeminent Egyptian manufacturer, underscoring our dedicated commitment to superior quality.



## Our Fastening Systems

We take immense pride in being at the forefront of fastening systems manufacturing in Egypt. Our steadfast commitment to delivering the utmost quality in fastening systems is realized through our unwavering dedication to excellence in every aspect of our operations, from product design and development to our in-house manufacturing capabilities and customer service.

We are committed to providing our customers with the highest quality products and services, and we are constantly striving to improve our processes and exceed their expectations.



With our unwavering commitment to excellence and longstanding partnerships, we ensure our customers receive the finest products and services in the industry.

Authorized seller for:



About Us.



## Why ETACO?

At ETACO, our unwavering pledge is to furnish our valued clientele with fastening systems of unparalleled quality.

Our products are engineered to surpass the most exacting global standards, and we persistently allocate resources towards pioneering technologies and methodologies to refine our offerings. As a leading manufacturer of first-rate fastening systems in EGYPT, we take great pride in our distinguished reputation and can confidently affirm that our products will not only meet but exceed your expectations.

## Our Core Values



### Quality and Innovation

We're passionate about excellence, setting high standards for our products and services, and continuously innovating to exceed expectations.



### Reliability & Integrity

Trust is fundamental to us. We maintain transparent and ethical practices, delivering on promises, adhering to deadlines, and upholding integrity in all interactions.



### Collaboration

We value strong relationships. We actively collaborate with clients, partners, and industry experts to create synergistic solutions based on mutual respect, open communication, and shared goals.



### Customer Centricity

Our customers are central. We listen, understand, and tailor solutions to meet their unique needs, aiming to exceed their expectations and build lasting trust-based relationships.



### Safety & Sustainability

Safety is paramount. We prioritize worker and environmental well-being, ensuring responsible manufacturing processes and materials in our commitment to sustainability.

About Us.



## Our Purpose

At ETACO, our goal is to transform Egypt's construction industry by setting new standards for quality, innovation, and reliability. We aim to be the leading provider of high-quality fastening systems, construction tools, materials, and solutions, thereby improving the efficiency of projects nationwide.



## Our Aspirations

At ETACO, we aim is to establish ourselves as a leading provider of fastening systems that meet international standards of excellence. As a company, we are committed to spearheading the growth of Egypt's construction industry by fostering a culture of innovation, safety, and unwavering dedication to quality.

## Our Impact

Over the years, ETACO has been integral to Egypt's major projects, leaving an enduring mark on construction. Our expertise in core drilling and concrete cutting demonstrates our commitment to pushing construction boundaries.

We don't just offer tools and materials; we provide solutions that turn visions into reality. ETACO symbolizes quality, reliability, and innovation in construction. With unwavering dedication and core values, we're committed to leading Egypt's construction sector toward progress, excellence, and sustainability.







## Our Products

At ETACO, we offer a wide range of high-quality construction products. As exclusive agents for renowned brands like SPIT, Heller, and Carbodiam, we provide trusted and innovative tools, materials, and accessories. Additionally, we manufacture our own products tailored to our clients' specific needs.



Our extensive product lineup includes threaded rods, bolts, gas nails, powder nails, screws, U-bolts, anchor bolts (type J, L, with threaded sides), wedge anchors, drop-in anchors, drywall screws, self-drilling screws, shear studs, and customized fasteners offering a variety of grades and various coating finishes.



We proudly distribute SPIT Anchors & Power Tools in Egypt, known for their quality and innovation. SPIT offers cutting-edge construction solutions that meet industry standards.



As a trusted importer of Heller drill bits, we offer precision and reliability for various drilling applications, catering to professionals who demand accuracy and durability.



ETACO imports Carbodiam diamond cutting discs, delivering exceptional performance in precision cutting for construction projects, from concrete to masonry.



Products.

# Building Excellence Together

# ETACO Products

Our extensive product lineup includes threaded rods, bolts, gas nails, powder nails, screws, U-bolts, anchor bolts (type J, L, with threaded sides), wedge anchors, drop-in anchors, drywall screws, self-drilling screws, shear studs, and customized fasteners offering a variety of grades and various coating finishes.



## Anchors

- Mechanical Anchor E-FX C
- Shield anchor E-SHX
- Sleeve Anchor E-SA
- Threaded Stud DIN 975
- Plastic Frame Anchor E-PFA
- Shear Stud
- Mechanical Anchor E-FX C
- Drop-In Anchor E-DX
- Metal Frame Anchor E-MFR
- Suspended Ceiling Anchors E-CNA
- Anchor Bolt Type L, J




## Bolts

- Hex Bolt Din933
- Hex Bolt Din6914 HV
- Hex Flange Bolt Din6921
- Carriage Bolt Din603
- Hex Bolt Din931
- Hex Wood Screw Din571



## Socket Head

- Socket Head Cap Screw Din912
- Pan Head Screw DIN 7985
- Countersunk Flat Head Screw DIN965



## Screws

- Hex Selfdrill Din7504K
- Countersunk head self-drilling screw Din7504P
- Cross Pan Head Tapping Screw Din7981
- Cross Countersunk Head Tapping Screw Din7982
- Cross Recessed Countersunk Head Tapping Screw Din7982



## Nuts

- Hex Nut Din934
- Hex Dome Cap Nut Din1587
- Hex Nut With Flange Din6923
- Heavy Hex Nut A194
- Structural Nut Din6915
- Spring Nut
- Nylon Hex Lock Nut Din985
- Coupling Nut Din6334
- Wing Nut Din315



## Washers

- Flat Washer Din125
- Structural Washer Din6916
- Hardened Washer F436
- Spring Washer Din127
- Serrated lock washers Din6798
- Square Washer



## Anchors



### Mechanical Anchor E-FX C

Coating: Galvanized (ZP 5µm min)  
 Range: M8x80 to M20x200  
 Usage: Non-cracked and Cracked Concrete.



### Mechanical Anchor E-FX C

Coating: Galvanized (HDG 45µm min)  
 Range: M8x80 to M20x200  
 Usage: Non-cracked and Cracked Concrete.



### Shield anchor E-SHX

Coating: Galvanized (ZP 5µm min)  
 Range: M6x45 to M12x75  
 Usage: Concrete, solid, and hollow masonries.



### Sleeve Anchor E-SA

Coating: Galvanized (ZP 5µm min)  
 Range: M8x80 to M10x100  
 Usage: Concrete and Solid Masonries.



### Threaded Stud DIN 975

Grades: 4.8, 5.8, 8.8, 10.9  
 Coating: Galvanized  
 (ZP 5µm min, HDG 45µm min)  
 Range: M6 to M52



### Threaded Stud DIN 975

Stainless Steel (SS304 A2- SS316 A4)  
 Range: M6 to M52



### Plastic Frame Anchor E-PFA

Range: M10x80 to M10x200  
 Usage: Fixing in concrete, solid masonry, hollow block, and aerated concrete.



### Shear Stud

Material: SWRCH15A  
 Coating: Black  
 Range: 16x80 to 22x200

## Anchors



### Mechanical Anchor E-FX C

Stainless Steel (SS304 A2 - SS316 A4 )  
 Range: M8x80 to M20x200  
 Usage: Non-cracked and Cracked Concrete.



### Drop In Anchor E-DX

Coating: Galvanized (ZP 5µm min)  
 Range: M6x30 to M20x80  
 Sleeve: Steel, AISI1006  
 Usage: Non-cracked concrete



### Metal Frame Anchor E-MFR

Coating: Galvanized (ZP 5µm min)  
 Range: M10x92 to M10x152  
 Usage: Embedded anchor for all frame types.



### Suspended Ceiling Anchors E-CNA

Coating: Galvanized (ZP 5µm min)  
 Range: M6x40  
 Usage: Multiple use of non-structural applications



### Anchor Bolt Type L, J

Grades: 4.8, 5.8, 8.8  
 Range: Size Customized upon Request  
 Coating: Black, galvanized  
 (ZP 5µm min, HDG 45 µm min)

## Bolts

---



### Hex Bolt Din933

Grade: 4.8, 5.8, 6.8, 8.8, 10.9  
Coating: Black, ZP, HDG  
Range : M6x16 to M52x200



### Hex Bolt Din933

Material: Stainless Steel SS304, SS316  
Range: M6x10 to M39x200  
Grade: SS304 A2-70, SS316 A4-70



### Hex Bolt Din6914 HV

Grade: 10.9  
Coating: Black, ZP, HDG  
Range: M12x30 to M36x200



### Hex Flange Bolt Din6921

Grade: 8.8  
Coating: ZP  
Range: M6x16 to M20x200



### Carriage Bolt Din603

Grade: 4.8, 8.8  
Coating: Black, ZP, HDG  
Range: M5x16 to M20x200



### Carriage Bolt Din603

Material: Stainless Steel SS304, SS316  
Grade: A2-70 , A4-70  
Range: M6x20 to M16x200

## Bolts

---



### Hex Bolt Din931

Grade: 4.8, 5.8, 6.8, 8.8, 10.9  
Coating: Black, ZP, HDG  
Range: M6x16 to M64x400



### Hex Bolt Din931

Material: Stainless Steel SS304, SS316  
Range: M6x10 to M39x200  
Grade: SS304 A2-70, SS316 A4-70



### Hex Wood Screw Din571

Grade: 4.6  
Coating: ZP  
Range : M6x30 to M16x150



### Hex Wood Screw Din571

Material: Stainless Steel 304  
Range: M6x30 to M16x150



## Screw



### Hex Selfdrill Din7504K

Coating: ZP  
Range: 3.9x13 to 6.3x50



### Hex Selfdrill Din7504K

Material: Stainless Steel 304,  
SS410, Bi-metal  
Range: 3.9x13 to 6.3x150



### Countersunk head self-drilling screw Din7504P

Coating: ZP  
Range: 3.9x13 to 6.3x50



### Countersunk head self-drilling screw Din7504P

Material: Stainless Steel 304  
Range: 3.9x13 to 6.3x50



### Cross Pan Head Tapping Screw Din7981

Coating: Black, ZP  
Range: 3.9x9.5 to 6.3x38



### Cross Pan Head Tapping Screw Din7981

Material: Stainless Steel 304  
Range: 3.9x9.5to 6.3x38



### Cross Countersunk Head Tapping Screw Din7982

Coating: ZP  
Range: 3.9x9.5 to 6.3x38



### Cross Recessed Countersunk Head Tapping Screw Din7982

Material: Stainless Steel 304  
Range: 3.9x9.5 to 6.3x38

## Socket Head



### Socket Head Cap Screw Din912

Grade: 8.8, 10.9, 12.9  
Coating: BLACK , ZP  
Range: M5x12 to M20x200



### Socket Head Cap Screw Din912

Material: Stainless Steel SS304  
Range: M5x20 to M10x50



### Pan Head Screw DIN 7985

Coating: ZP  
Range: M5x10 to M8x60



### Pan Head Screw DIN 7985

Material: Stainless Steel SS304  
Range: M4x10 to M8x60



### Countersunk Flat Head Screw DIN965

Coating: ZP  
Range: M4x10 to M8x60



### Countersunk Flat Head Screw DIN965

Material: Stainless Steel SS304  
Range: M4x10 to M8x60



## Nuts



### Hex Nut Din934

Grade: 6, 8, 10  
Coating: Black, ZP, HDG  
Range: M6 to M64



### Hex Nut Din934

Material: Stainless Steel SS304, SS316  
Range: M6 to M52



### Hex Dome Cap Nut Din1587

Coating: ZP  
Range: M5 to M20



### Hex Dome Cap Nut Din1587

Material: Stainless Steel SS304  
Range: M5 to M20



### Hex Nut With Flange Din6923

Coating: ZP  
Range: M6 to M16



### Hex Nut With Flange Din6923

Material: Stainless Steel 304  
Range: M6 to M20



### Heavy Hex Nut A194

Grade: 2H  
Coating: Black, HDG  
Range: 1/2" to 3"



### Heavy Hex Nut A563


Coating: Black, HDG  
Range : 1/2" to 2-1/2"

## Nuts



### Structural Nut Din6915

Grade: 10 HV  
Coating: Black, HDG  
Range: M12 to M36



### Spring Nut

Material: Carbon Steel,  
Stainless Steel 316



### Nylon Hex Lock Nut Din985

Grade: 6  
Coating: ZP  
Range: M5 to M36



### Nylon Hex Lock Nut Din985

Material: Stainless Steel SS304  
Range: M5 to M27



### Coupling Nut Din6334

Coating: ZP  
Range: M6 to M20



### Coupling Nut Din6334

Material: Stainless Steel 304  
Range: M6 to M16



### Wing Nut Din315

Coating: ZP  
Range: M6 to M16



### Wing Nut Din315

Material: Stainless Steel 304  
Range: M6 to M16

## Washers

---



### Flat Washer Din125

Coating: ZP, HDG  
Range: M6 to M64



### Flat Washer Din125

Material: Stainless Steel 304,316  
Range: M6 to M64



### Structural Washer Din6916

Coating: Black, HDG  
Range: M12 to M64



### Hardened Washer F436

Coating: Black, HDG  
Range: 1/2" to 3"

## Washers

---



### Spring Washer Din127

Coating: ZP, HDG  
Range: M6 to M36



### Spring Washer Din127

Material: Stainless Steel 304  
Range: M6 to M36



### Serrated lock washers Din6798

Coating: ZP  
Material: Stainless Steel 304  
Range: M10 to M30



### Square Washer

Coating: ZP  
Material: Stainless Steel 304





# Products

We proudly distribute SPIT Anchors & Power Tools in Egypt, known for their quality and innovation. SPIT offers cutting-edge construction solutions that meet industry standards.



## Chemical Anchors

- Epcon C8 Xtrem 450ml
- Viper Xtrem 410ml
- Epobar 410ml
- Multimax 280ml
- Maxima Stud
- Injection Tool



## Mechanical Anchors

- Fix Z Xtrem
- Fix 3
- Fix Z Xtrem A4
- Triga Z Xtrem
- GRIP L
- PRIMA
- UNI
- DYNABOLT



## Light Weight Anchors

- HIT M
- BLONG
- PROLONG
- L
- UDZ
- ZENTECH
- CC
- NYL



## Insulation Anchors

- ISO
- IF



## Power Actuated Tools

- SPITFIRE P370
- C9
- CR9
- SC9



## Gas Tools

- SBR9
- PULSA 40P+
- C6
- HC6



## Electronic Power Tools

- 321 SDS Plus Combi Hammer 790W
- 330 SDS Plus Combi Hammer 850W
- 353 SVC SRC SDS max Combi Hammer drill 1100W
- 383 SVC SDS Max Combi Hammer drill 1500W
- 490 Sds Max Demolition Hammer 1500W
- 493 SVC SDS Max Demolition Hammer 1700W
- AGP 230AV
- D60
- 332 SDS Plus Combi Hammer 800W
- 343 SVC SDS Plus combi hammer drill 900W
- 431 SDS PLUS
- 453 SVC SDS Max Demolition Hammer 1100W
- Core SD160
- Core SD250
- SG125E
- Vacuum Cleaner AC 1630P



## Chemical Anchors



### Epcon C8 Xtrem 450ml

Epoxy chemical mortar for studs & rebar in non-cracked, cracked concrete and seismic areas.



### Viper Xtrem 410ml

High performance vinylester chemical mortar suitable for stud & rebar in wet or flooded holes and seismic conditions.



### EpoBar 410ml

Epoxy acrylate styrene-free chemical mortar specifically developed for rebar.



### Multimax 280ml

Methacrylate styrene free versatile chemical mortar with for multiple applications.



### Injection Tool



### Maxima Stud

Galvanized (ZP 5µm min)  
Stainless Steel SS316 A4.  
Range: M8 to M30



### Fix Z Xtrem

Through bolt anchor for cracked non-cracked concrete seismic applications.  
Coating: Galvanized (ZP 5µm min)  
Range: M8 to M20



### Fix Z Xtrem A4

Stainless steel through bolt anchor for cracked and non-cracked concrete.



### GRIP L

Deformation-controlled expansion female anchor for use in non-cracked concrete.  
Range: M6 to M16



### UNI

Universal female anchor for use in concrete and masonries.  
Range : M8 to M12



## Mechanical Anchors



### Fix 3

Through bolt anchor for non-cracked concrete.  
Coating: Galvanized (ZP 5µm min)  
Range: M8 to M20



### Triga Z Xtrem

High security, high performance fixing for use in cracked and non-cracked concrete.



### PRIMA

High expansion shield anchor, for use in concrete and solid and hollow masonries.  
Range: M6 to M12



### DYNABOLT

Sleeve type expansion anchor for use in concrete, solid masonries and beam slab.  
Range : M8 to M12





## Light Weight Anchors

---



### HIT M

Hammer-set anchor for light duty fixings for concrete and all materials types.  
Range: M6 to M8



### PROLONG

Universal frame fixing for concrete, in hollow and solid masonries.  
Range: M10 to M16



### UDZ

Ceiling anchor for multiple use of non- structural applications.  
Range: M6



### CC

Anchor for hollow base materials.  
Range: M4 to M6



### BLONG

Frame anchor for fixings in concrete, solid masonry, hollow block and aerated concrete.  
Rang: M10x80 , 100



### L

Deep embedment anchor for all frame types.  
Range: M10



### ZENTECH

Anchor for hollow base materials  
Range: M4 to M6



### NYL

Universal nylon, lightweight anchor.  
Range: M6 to M12



## Insulation Anchors

---



### ISO

Expanding insulation anchor for fixing all rigid or flexible insulation.  
Range: M10x95 ,115 , 135



### IF

Range: 60 to 200 mm



## Powder Actuated Tools



### SPITFIRE P370

Powder actuated general purpose tool.

Power: 350 J

Weight: 3.2 kg



### CR9

Single shot pin with 14mm metal washer for concrete.

Range: 25 to 40 mm



### C9

Standard single shot pins for concrete and stone.

Range: 25 to 90 mm



### SC9

High performance single shot pins for steel, hard and pre-stressed concrete.

Range: 15 to 60 mm



### SBR9

Single shot pins for metal cladding sheets.



### C6

Standard pins with gas for concrete.

Range: 20 to 35 mm



### PULSA 40P+

Premium cordless nailer for drywall applications

Power: 100 J

Weight: 3.7 kg



### HC6

High performance pins with gas for steel, hard pre-stressed concrete range.

Range: 15 to 32 mm



## Gas Tools





## Electronic Power Tools



**321 SDS Plus Combi Hammer  
790W**

Power: 790 W, Weight: 2.8 kg  
Max. drill diameter, concrete: 24 mm  
Rotation speed - unloaded: 950 rpm



**330 SDS Plus Combi Hammer  
850W**

Power: 850 W, Weight: 3.1 kg  
Max. drill diameter, concrete: 28 mm  
Rotation speed - unloaded: 900 rpm



**332 SDS Plus Combi Hammer  
800W**

Power: 800 W, Weight: 3.6 kg  
Max. drill diameter, concrete: 28 mm  
Rotation speed - unloaded: 1,300 rpm



**343 SVC SDS Plus Combi Hammer  
Drill 900W**

Power: 900 W, Weight: 4.7 kg  
Max. drill diameter, concrete: 32 mm  
Rotation speed - unloaded: 800 rpm



**353 SVC SRC SDS Max Combi Hammer  
Drill 1100W**

Power: 1100 W, Weight : 6.8 kg  
Max. drill diameter, concrete: 40 mm  
Rotation speed - unloaded: 450 rpm



**383 SVC SDS Max Combi Hammer  
drill 1500W**

Power: 1500 W, Weight : 8.9 kg  
Max. drill diameter, concrete: 45 mm  
Rotation speed - unloaded: 305 rpm



**431 SDS PLUS  
Demolition Hammer 650W**

Power: 650 W  
Weight: 3.6 kg



**453 SVC SDS Max Demolition  
Hammer 1100W**

Power: 1100 W  
Weight: 6.5 kg



**490 Sds Max Demolition  
Hammer 1500W**

Power: 1500 W  
Weight: 10.1 kg



**493 SVC SDS Max Demolition  
Hammer 1700W**

Power: 1700 W  
Weight : 11.4 kg



**Core SD160**

Power: 2000 w, Weight: 6.7 kg  
Gear: 660, 1,550, 3,300 rpm  
Spindle Type: 1-1/4", 1/2"



**Core SD250**

Power: 2,500 w, Weight: 10.4 kg  
Gear: 360, 850 rpm  
Spindle Type: 1-1/4", 1/2"



**AGP 230AV**

5.20 kg - 2,400 W  
6500 rpm Ø230, Ø 22.2



**D60**

6.5 kg - 2500 W  
6700 rpm rotation speed



**SG125E**

5.5 kg - 1800 W  
10,000 rpm rotation speed Ø125



**Vacuum Cleaner AC 1630P**

14.80 kg  
1,600 W, 32 litres



## Electronic Power Tools

# heller

## Products



### Hammer Drill Bits

---

- SDS PLUS TRIJET
- SDS PLUS Y-Cutter
- SDS MAX TRIJET
- SDS MAX Y-CUTTER
- SUPER QUICK SDS-max CORE DRILL
- STEEL DRILL BITS HSS-G SUPER DIN 338 RN
- HSS-R DIN 338 RN STEEL DRILL BITS

We take pride in distributing HELLER Hammer Drill Bits in Egypt, renowned for their exceptional quality and innovative designs. HELLER provides state-of-the-art construction solutions that adhere to industry standards.





## Hammer Drill Bits



### SDS PLUS TRIJET

Premium multi-cutter for concrete and reinforcement.  
Range: M5 to M16



### SDS PLUS Y-Cutter

Premium multi-cutter for concrete and reinforcement three-dimensional cutting edge profile.  
Range: M16 to M30



### SUPER QUICK SDS-max CORE DRILL

Powerful, fast, and durable. Ideal for placing pipes through brickwork and concrete.  
Range: M50 to M100



### STEEL DRILL BITS HSS-G SUPER DIN 338 RN

Highly-precise and durable with best finish in metal.  
Range: M1 to M14



## Hammer Drill Bits



### SDS MAX TRIJET

With recessed carbide tip for extreme resilience in reinforcement steel and powerful drilling progress.  
Range: M12 to M16



### SDS MAX Y-CUTTER

With recessed carbide tip for extreme resilience in reinforcement steel and powerful drilling progress.  
Range: M18 to M50



### HSS-R DIN 338 RN STEEL DRILL BITS

The classic choice for daily solutions in metal. Ideal for unalloyed steels.  
Range: M1 to M16



# Products

We are proud to be the distributors of Carbodium Diamond Cutting Discs in Egypt, known for their excellence and groundbreaking innovations. Carbodium offers advanced construction solutions that conform to industry standards.



## Diamond Cutting Discs

---

- Multi Materials Granite
- Universal Entry
- Universal Fast Cut
- High Performance Concrete
- Concrete High Performance
- High Performance Concrete





## Diamond Cutting Discs

---




### Multi Materials Granite

All construction materials, intensive granite. Universal multi-purpose



### Universal Entry

Non intensive work: Concrete and Masonry



### Concrete High Performance

All construction materials, Reinforced Concrete, Granite, and Lintels. Ideal for high-density and highly reinforced concrete.



### High Performance Concrete

Reinforced concrete, self-locking cobblestones, and washed concrete slabs




## Diamond Cutting Discs

---



### Universal Fast Cut

Intensive work: Granite, Concrete, Reinforced Concrete, all building materials, Flint, Steel, and Wire Mesh Reinforcing



### High Performance Concrete

Highest universality: Fibre Concrete, Reinforced Concrete, Flint Concrete, Lintels, Granite Kerbs, and sand-lime bricks



## Innovation Focus

At ETACO, our commitment goes beyond products; we provide holistic services tailored to diverse construction needs. Our focus on innovation and quality complements our offerings, ensuring efficient project support.

Services.

## ETACO Services



### Wire Cutting

ETACO was the first company in Egypt that offers advanced wire cutting services, a precise solution for materials like concrete. Our skilled operators use cutting-edge diamond wire saw machines for controlled demolition, renovations, and structural openings.



### Core Drilling

We specialize in core drilling, creating holes in concrete and hard materials with precision. Our state-of-the-art equipment and experienced technicians ensure accurate cylindrical core extraction for various construction needs.



### Customized Solutions

ETACO excels in installing critical infrastructure components such as radial gates, stop logs, bar screens, and slide gates. Our skilled teams handle installation, repairs, and renovations with precision, adhering to quality standards for lasting solutions.

---

**Elevating  
Construction  
Excellence with  
Innovative Services.**





## Why choose us?

We aim to exceed expectations in every partnership, solidifying our role as a preferred construction partner, as seen in our diverse and impressive client portfolio.

ETACO's esteemed clientele, including leading construction firms and prominent organizations, validates our reputation for excellence and reliability. We consistently meet their high standards, reflecting our commitment to quality.





## Our Approvals

ETACO's pre-qualification and approvals demonstrate our dedication to industry standards, confirming our trusted and responsible role in construction.

ETACO's esteemed clientele, including leading construction firms and prominent organizations, validates our reputation for excellence and reliability. We consistently meet their high standards, reflecting our commitment to quality.

## Approved by

- ECG Engineering Consultants Group
- SABOR Engineering & Consulting
- EHAF - Consulting Engineers
- Shaker Consultancy Group
- Dar Al-Handasah
- SYSTRA Group
- Khatib & Alami
- Consulting Engineering Office
- ACE Moharram Bakhoum
- Zuhair Fayez Partnership Consultants
- Dr. Khaled Elkholy
- COSMOS
- MECC
- Active Brains
- Innovative Engineering
- Dr Sabri Samaan
- Engineering Consultants Consortium (NOCE)
- PGESCO

# Approvals.





## Need help?

ETACO welcomes your inquiries and collaborations.

Contact Us.

## Connect with us

Our team is here to assist you in finding the right construction solutions. Contact us through the following channels:



### Head Office

Z1 Plot Number 4, Northern Expansion And Extension  
Industrial Group, 6th of October City  
Cairo, Egypt



### Phone

(+2) 01228643732  
(+2) 36918044  
(+2) 36918041



### Email

Info@etacogroup.com  
Marketing@etacogroup.com  
export@etacogroup.com  
sales@etacogroup.com



### Website

[www.etacogroup.com](http://www.etacogroup.com)

---

**Get in Touch**  
with Us

