

INSERT SERIES

ELECTRIC FIREPLACES

Amantii SIERRA FLAME



TRD 33 shown with birch log set and a TRD 33-3 sided surround

ELECTRICS BY SIERRA FLAME

Add new life to an existing wood or masonry fireplace with the INS FM 30 or INS FM 34 Insert. A stunning and life like flame is intensified by the visually impressive traditional log set, included with the insert. Finished with a black steel surround and overlay, this unit makes an immediate impact on any renovated or retrofitted room. Conveniently control the flame height and intensity of the natural looking flame with the included patented thermostatic remote or from your smart phone. WiFi compatible to connect and control the fireplace from your smart phone with the use of our app. Available on Google Play Store or Apple App Store.

KEY FEATURES

- Premium Alternative to a wood or gas fireplace
- Integrated heater offers 5000 BTU heat output that heats up to 500 sq. ft.
- WiFi compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google Play Store and Apple App Store
- Choose from a combination of Red, Yellow and Orange flames
- Flames operate with or without heat
- Programmable timer & thermostat allows you to decide the temperature of the room.
- Heat is vented upwards from the overlay

INCLUDED ACCESSORIES



Sable

IDEAL APPLICATIONS

- Retrofits
- Into existing metal or masonry fireplaces
- New construction
- Renovation projects

TECHNICAL SPECS

Volts	120
Amps	13
Watts	1500 max
Heater On	1500 watts high, 750 watts low
Heater Off	22 watts
Rotor Motor	1 at 5 watts
BTU	5000

SERIES MODELS:

Steel front INS 30, INS 34



INS-FM-30

*Height, Width, Depth: 25 x 38 x 10

Glass Viewing Area: 15 3/8 x 23 1/2

Surround Size: 24 7/8 x 38

**Shipping Size: 41 x 13 x 27 1/3

Shipping Weight: 76.06 lbs. Glass Included

INS-FM-34

*Height, Width, Depth: 30 x 42 x 10 1/8

Glass Viewing Area: 17 3/8 x 27 5/8

Surround Size: 30 x 42

Shipping Size: 44 7/8 x 13 x 32 2/3

Shipping Weight: 92.37 lbs. Glass Included



TRADITIONAL SMART INSERTS

The Traditional Smart Insert electric fireplace is that is perfect to breathe new life into an old fireplace with unique styling that is both classic and modern. It is an excellent upgrade option for an existing wood burning fireplace in any residential or commercial space. The TRD series of electric fireplaces are designed to be fully recessed and built in. For partially built in and recessed installations the optional 3 sided or 4 sided surround is required. Designed for easy installation, just slide it into an existing fireplace, and add the trim for a perfect finish. This timeless fireplace will allow you to update any space while adding warmth and ambiance to the room

KEY FEATURES

- Can be fully recessed or semi flush mounted.
- TRD three or four sided surround required for semi flush mounted applications
- WiFi compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google Play Store and the Apple App Store
- Three speed flame motor
- Choose from combinations of yellow, orange, and red colored flames
- Two flame pattern styles – standard and more traditional
- Flame operates with or without heat
- Choose from 11 colors of canopy and ember bed lighting to illuminate decorative media from below and above
- Touch pad for convenient control of features and temperature display on the fireplace
- Programmable timer & thermostat allows you to decide the temperature of the room. Set your fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold
- Patented thermostatic remote comes included

TECHNICAL SPECIFICATIONS

Volts	120V 60Hz
Amps	10
Watts	1465 Watts
Heater On	1465 Watts high, 732 Watts low
Heater Off	22 Watts
Rotor Motor	1 at 5 Watts
BTU	5000

SERIES MODELS:

- TRD 26-Smart
- TRD 30-Smart
- TRD 33-Smart
- TRD 38-Smart




TRD 26-Smart

TRD 30-Smart

TRD 33-Smart

TRD 38-Smart



INCLUDED ACCESSORIES

Models come with 10 Piece Birch Style Log Set, 2 colors of real fireglass and 2 colors of vermiculite, plus a remote.



Surrounds Optional:



3-Sided Surround

4-Sided Surround



TRD 38-Smart

Height, Width, Depth: 27 1/4 x 37 1/8 x 12 3/8
 Glass Viewing Opening: 23 5/8 x 35 1/4
 3-piece Trim: 34 3/8 x 45 3/4 x 3/4
 4-piece Trim: 41 1/8 x 45 3/4 x 3/4
 Shipping Size: 29 5/8 x 41 6/8 x 14 4/8
 Shipping Weight: 101.5 lbs Glass Included



TRD 33-Smart

Height, Width, Depth: 22 1/4 x 31 3/4 x 11 3/8
 Glass Viewing Opening: 18 3/4 x 29 7/8
 3-piece Trim: 29 x 42 x 3/4
 4-piece Trim: 35 3/8 x 42 x 3/4
 Shipping Size: 24 5/8 x 36 2/8 x 14 5/8
 Shipping Weight: 78 lbs Glass Included

TRD 26-Smart



Height, Width, Depth: 16 3/4 x 25 1/4 x 11 3/8
 Glass Viewing Opening: 15 1/2 x 27 1/2
 3-piece Trim: 22 1/8 x 36 x 3/4
 4-piece Trim: 27 1/8 x 36 x 3/4
 Shipping Size: 21 4/8 x 33 7/8 x 14 5/8
 Shipping Weight: 42.3 lbs. Glass Included

TRD 30-Smart



Height, Width, Depth: 19 1/8 x 29 3/8 x 11 3/8
 Glass Viewing Opening: 15 1/2 x 27 1/2
 3-piece Trim: 24 x 38 x 3/4
 4-piece Trim: 28 1/2 x 38 x 3/4
 Shipping Size: 21 4/8 x 33 7/8 x 14 5/8
 Shipping Weight: 69 lbs Glass Included

TRADITIONAL BESPOKE SMART

Using the latest technology, Traditional Bespoke Smart presents a new interpretation of the classic fireplace with quality and style. Select flame colors, sound, heat and so much more by pairing your phone with the fireplace and press play on your smartphone. Heater vents are concealed in the upper top of the unit, enabling a truly clean face appearance.

Enjoy the brilliant flames of this fireplace even while the heat is off for ambiance during every season.

With this timeless fireplace, you will be able to breathe new life into any room while adding warmth and ambiance

KEY FEATURES

- 5 Year Warranty
- Fire & Sound – Two (2) quality audio speakers deliver a fire crackling sound. The audio is an ON/OFF feature that can be controlled through the WiFi app.
- WiFi compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google play store and the Apple App Store.
- Bluetooth Connectivity – Featuring a fireplace with high quality audio from Bluetooth speakers. Simply pair your phone with the fireplace and press play on your smartphone.
- Programmable timer & thermostat allows you to decide the temperature of the room. Set the fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.
- Smart Room Temperature Control - 59°F - 82°F or 15°C - 28°C
- 1465W 5000 BTU, heats up to 500 Sq. Ft.
- 50000 hours lifetime LED light source
- Approved for Outdoor Installations*
- Designed with front flow heating and hidden venting so that the unit can be recessed or semi flush mounted
- A clean reduced trim kit allows for a large viewing area with true lifelike flames that can not be rivaled.
- Adjustable flame brightness and speed that can be turned on separately.
- Adjustable ember bed colors that allow for the possibility of auto mixing thousands of colors.
- Most quiet and reliable components in the industry
- Patented thermostatic remote comes included
- Masonary finish to trim option

TECHNICAL SPECIFICATIONS

Volts	120V
Amps	12.5 A
Watts	1465 Watts
Heater On	1465 Watts high, 732 Watts low
Heater Off	27 Watts – TRD 33 Bespoke 32.6 Watts – TRD 38 Bespoke 37.8 Watts – TRD 44 Bespoke
Rotor Motor	1 at 2.9 Watts
BTU	5000

SERIES MODELS:

TRD-33 BESPOKE
TRD-38 BESPOKE

TRIMS

3-sided and 4-sided trims are made of 22 gauge metal.



3-sided trim



4-sided trim



INCLUDED ACCESSORIES

Models come with a choice of a Design Media kit - Driftwood, Birch or Rustic or ICE media kit



*Manufacturer guidelines regarding outdoor installation must be followed. Please refer to the owner's manual for additional information

YOUR CHOICE:

DESIGN-MEDIA-DRIFT-15PCE

Now includes an additional 4 mini logs (Not Shown)



DESIGN-MEDIA-BIRCH-15PCE



ICE MEDIA



FI-109-Diamond

DESIGN-MEDIA-BIRCH-10PCE



DESIGN-MEDIA-RUSTIC-14PCE



DESIGN-MEDIA-SPLIT-LOG-16PCE



NEW

DESIGN-MEDIA-OAK-10PCE





TRD-33 BESPOKE

Height, Width, Depth: 22 1/4 x 31 3/4 x 11 3/8
Glass Viewing Opening: 18 3/4 x 29 7/8
Shipping Size: 28 1/8 x 41 1/4 x 16 1/2
Shipping Weight: 78 lbs Glass Included



TRD-38 BESPOKE

Height, Width, Depth: 16 3/4 x 25 1/4 x 4 1/8
Glass Viewing Opening: 13 5/8 x 25 1/8
Shipping Size: 17 1/4 x 27 1/8
Shipping Weight: 101.4 lbs Glass Included



TRADITIONAL XTRA SLIM SMART

The Traditional Xtra Slim Smart Insert electric fireplace provides all the warmth of a traditional fireplace without the hassle. A perfect balance of style and functionality for any room that it is placed in.

Stylish and efficient the Traditional (TRD) Xtra slim series provides more than just warmth, it offers beautiful visuals like dancing flames and ambient lighting as well as 11 flame presentation settings in each color, 5 settings in each color for customizing the look of your flame. With 5000 BTU's the TRD Xtra slim series of units offers enough heat for up to 400 sq ft making it ideal for living spaces as well as commercial applications such as waiting areas and lobbies. With an extra slim design this series fits perfectly against any wall or recessed into a 2x4s creating a perfect flush fit

KEY FEATURES

- Modern and sleek in design, this unit can be mounted or recessed into any 2" x 4" wall
- Unsurpassed, realistic flames can be enjoyed with or without the use of heat, allowing for year round use
- Clean and Seamless in Design: this fireplace features a full frame viewing area
- WiFi controls come standard
- Remote App- total control of your fireplace from the convenience of your mobile device
- Operate this fireplace from the comfort of your favorite spot with the included full feature remote control
- 2 Heater settings Low 732W High 1465W
- 5000 BTU's Max
- Accessories Included: Clear glass diamonds, black powder coated surround and a full feature remote control
- 11 multi colors of up lighting that accent from the tray
- Flame options include: yellow orange and red. Cycle through 6 different color settings in each
- 3 Speed motor sets the flame speed option
- Smart Heater Control - Auto mode feature allows for the unit to operate under your ideal temperature setting
- Perfect for any commercial or residential space

IDEAL APPLICATIONS

- Apartments
- Condos
- Townhouses
- Older homes

TECHNICAL SPECIFICATIONS

Volts	120
Amps	12.5 A
Watts	1465 max
Heater On	1465 watts high, 732 watts low
Heater Off	25 watts
Rotor Motor	1 at 5 watts
BTU	5000

TRIMS

3-sided and 4-sided trims are made of 22 gauge metal.



3-sided trim



4-sided trim



INCLUDED ACCESSORIES



OPTIONAL LOG SET





TRD-30 XS

Height, Width, Depth: 19 1/8 x 29 3/8 x 4 1/8
Glass Viewing Opening: 16 x 29 3/8
Shipping Size: 19 5/8 x 31 1/4
Shipping Weight: 43.29 lbs Glass Included



TRD-33 XS

Height, Width, Depth: 22 1/4 x 31 3/4 x 4 1/8
Glass Viewing Opening: 19 1/8 x 31 3/4
Shipping Size: 22 3/4 x 33 5/8
Shipping Weight: 55.11 lbs Glass Included



TRD-26 XS

Height, Width, Depth: 16 3/4 x 25 1/4 x 4 1/8
Glass Viewing Opening: 13 5/8 x 25 1/8
Shipping Size: 17 1/4 x 27 1/8
Shipping Weight: 38.58 lbs Glass Included

INSERT SERIES | ZECL-31-3228-STL

The Zero Clearance ZECL-31-3228-STL is made of heavy gauge steel and comes with a choice of either Arch Steel Surround or Square Steel Surround. A log set is included with this insert. Highlight any room with the elegant and practical zero clearance. ZECL-31-3228 STL electric fireplace is designed to be fully enclosed, the ZECL-31-3228 STL is an excellent and economical option to gas or wood burning fireplaces. Perfect for new construction, renovation projects, commercial or residential spaces

IDEAL APPLICATIONS

- Residential spaces
- Commercial spaces
- New construction
- Renovation projects

KEY FEATURES

-  Heater & Fan
Flame operates with or without heat
-  Hard-wire ready.
Thermostat hard-wire ready
-  Temperature maintenance control - keep your space warm and cozy

-  Three light strips allow for yellow, orange, blue, violet and rose colored flames.
-  Perfect for zone heating. Approx. 500 sq. ft. 5000 BTUs

TECHNICAL SPECS


Volts	120
Amps	13
Watts	1500 max
Heater On	1500 watts high, 750 watts low
Heater Off	22 watts
Rotor Motor	1 at 5 watts
BTU	5000

INCLUDED ACCESSORIES

The Zero Clearance series come with log set and a remote.



*Remote control may not be exactly as shown



ZECL-31-3228-STL-SQR

ZECL-31-3228-STL-ARCH

Optional decorative media available for purchase




ICE Media Set



EMBER Media Set
Clear, Suntea, Harvest Moon

Thick heavy gauge steel surrounds



ZECL-31-3228-STL-ARCH

*Height, Width, Depth: 27 x 32 1/4 x 10
Surround Size: 32 1/2 x 25 5/8
**Shipping Size Unit: 35 3/4 x 13 x 30
**Shipping Size Steel Front: 35 x 3 x 30
Shipping Weight: 68 lbs. Glass Included



ZECL-31-3228-STL-SQR

*Height, Width, Depth: 27 x 32 1/4 x 10
Surround Size: 32 1/2 x 25 5/8
**Shipping Size Unit: 35 3/4 x 13 x 30
**Shipping Size Steel Front: 35 x 3 x 30
Shipping Weight: 68 lbs. Glass Included




ZECL-31-3228-STL-ARCH




ZECL-31-3228-STL-SQR


TRD-26












TRD-30




TRD-33




TRD-38



INS-FM-30



INS-FM-34



Inserts-US SEPT 2023

Distributed By:



Visit our online showrooms at:

www.amantii.com

We reserve the right to update products, specifications and dimensions are subject to change. Please refer to the product manual to verify measurements and clearance requirements. All local building codes must be followed.